



US00D334463S

United States Patent [19]
Chang

[11] **Patent Number: Des. 334,463**

[45] **Date of Patent: ** Apr. 6, 1993**

[54] **SHOE SOLE SHOCK ABSORBER**
[75] **Inventor: David J. H. Chang, Taichung, Taiwan**
[73] **Assignee: Hi-Tec Sports PLC, South-On-Sea, Great Britain**
[**] **Term: 14 Years**
[21] **Appl. No.: 209,797**
[22] **Filed: Jun. 22, 1988**
[52] **U.S. Cl. D2/314**
[58] **Field of Search D2/264, 265, 308-314, D2/317-322; 36/25 R, 28, 29, 35 R, 35 B, 102-107, 112-114, 132, 136, 43, 72 R**

4,680,876 7/1987 Peng 36/35 R
4,887,367 12/1989 Mackness et al. 36/28
4,918,838 4/1990 Chang 36/28

Primary Examiner—Louis S. Zarfes
Attorney, Agent, or Firm—James R. Cypher

[57] **CLAIM**


The ornamental design for a shoe sole shock absorber, as shown.

DESCRIPTION

FIG. 1 is a front elevational view of a shoe sole shock absorber;
FIG. 2 is a top plan view thereof;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is a perspective view thereof; and,
FIG. 5 is a front elevational view thereof in a position of use.

The broken line showing of a shoe in FIG. 5 is for illustrative purposes only and forms no part of the claimed design.

[56] **References Cited**
U.S. PATENT DOCUMENTS
3,077,579 2/1963 Hanko et al. D2/314 X
4,342,158 8/1982 McMahon et al. 36/28 X






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5