



US00D334530S

**United States Patent** [19]  
**Rowland**

[11] **Patent Number: Des. 334,530**

[45] **Date of Patent: \*\* Apr. 6, 1993**

[54] **HOLDER FOR FLEXIBLE ELEMENTS,  
INCLUDING WIRE, CORDS AND RUBBER  
HOSES**

2,440,012 4/1948 Haver ..... 24/30.5 R  
3,632,071 1/1972 Cameron ..... 248/74.3  
5,093,964 3/1992 Rowland ..... 24/16 PB

[75] **Inventor: David E. Rowland, Imperial Beach,  
Calif.**

*Primary Examiner*—Wallace R. Burke  
*Assistant Examiner*—H. Baynham  
*Attorney, Agent, or Firm*—William D. Hall

[73] **Assignee: Janice L. Rowland, Chula Vista,  
Calif.**

[57] **CLAIM**

[\*\*] **Term: 14 Years**

The ornamental design for a holder for flexible elements including wire, cords and rubber hoses, as shown and described.

[21] **Appl. No.: 752,324**

[22] **Filed: Aug. 30, 1991**

**DESCRIPTION**

**Related U.S. Application Data**

[63] Continuation of Ser. No. 575,867, Aug. 31, 1990, Pat. No. 5,062,184.

[52] **U.S. Cl. .... D8/356**

[58] **Field of Search ..... D8/356; 24/16 PB, 30.5 R,  
24/17 AP, 300; 248/74.3**

FIG. 1 is a perspective view of the holder for flexible elements including wire, cords, and rubber hoses;  
FIG. 2 is a perspective view thereof with the cord in a closed position;  
FIG. 3 is a left side elevational view thereof;  
FIG. 4 is a front elevational view thereof;  
FIG. 5 is a rear elevational view thereof;  
FIG. 6 is a right side elevational view thereof;  
FIG. 7 is a top plan view thereof;  
FIG. 8 is a bottom plan view thereof; and,  
FIG. 9 is a perspective view of the cord detached from the body of the claimed article.

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 239,593 4/1976 Dovma ..... D8/354




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8



Fig.9

