



US00D334647S

United States Patent [19]

Rogers et al.

[11] Patent Number: Des. 334,647

[45] Date of Patent: ** Apr. 13, 1993

[54] SURFACE OF AN EYELET STAY FOR A SHOE UPPER

[75] Inventors: Bruce E. Rogers, Portland; Michael A. Aveni, Lake Oswego, both of Oreg.

[73] Assignees: Nike, Inc., Beaverton, Oreg.; Nike International, Ltd., Bermuda

[**] Term: 14 Years

[21] Appl. No.: 725,251

[22] Filed: Jul. 3, 1991

[52] U.S. Cl. D2/314

[58] Field of Search D2/264, 265, 308-314;
36/45, 50, 52, 83, 84, 89, 102-107, 112-115,
132, 136

[56] References Cited

U.S. PATENT DOCUMENTS

D. 311,268 10/1990 Hatfield D2/314
D. 317,075 5/1991 Hatfield et al. D2/314

Primary Examiner—Louis S. Zarfas
Attorney, Agent, or Firm—Banner, Birch, McKie & Beckett

[57] CLAIM

The ornamental design for a surface of an eyelet stay for a shoe upper, as shown and described.

DESCRIPTION

FIG. 1 is a side elevational view of a first surface of an eyelet stay for a shoe upper showing our new design; FIG. 2 is a second side elevational view of the opposite side from that shown in FIG. 1 and showing a second surface of the eyelet stay; and, FIG. 3 is a cross-section taken generally along lines 3—3 of FIG. 2.

The broken line showing of a shoe upper in FIGS. 1 and 2 is for illustrative purposes only and forms no part of the claimed design. The cross-section FIG. 3 illustrates the surface of the eyelet stay only in the cross sectional planes, and it being understood that there is a like cross-section with respect to FIG. 1.





FIG. 1






FIG. 2




FIG. 3

