



US00D334736S

United States Patent [19]

[11] Patent Number: **Des. 334,736**

Sawada et al.

[45] Date of Patent: **** Apr. 13, 1993**

[54] DATA INPUT AND OUTPUT TERMINAL

[75] Inventors: **Masaji Sawada; Koji Nishida**, both of Osaka, Japan

[73] Assignee: **Sharp Corporation**, Osaka, Japan

[*] Notice: The portion of the term of this patent subsequent to Jun. 11, 2005 has been disclaimed.

[**] Term: **14 Years**

[21] Appl. No.: **524,177**

[22] Filed: **May 15, 1990**

[30] Foreign Application Priority Data

Nov. 15, 1989 [JP] Japan 1-41528

[52] U.S. Cl. **D14/100; D18/7**

[58] Field of Search **D14/100, 105, 106, 107; D18/1, 7, 11, 12; 340/700, 706, 711, 712; 341/22, 23; 235/145 A, 145 R; 400/493.1, 494, 472; 364/706-709.09, 900**

[56] References Cited

U.S. PATENT DOCUMENTS

D. 305,535 1/1990 Sakaguchi et al. D14/100

D. 308,049 5/1990 Dennett D14/100
D. 309,601 7/1990 Sawada et al. D14/100
D. 317,440 6/1991 Sawada et al. D14/100


Primary Examiner—Wallace R. Burke
Assistant Examiner—Freda S. Nunn
Attorney, Agent, or Firm—Flehr, Hohbach, Test, Albritton & Herbert


[57] CLAIM

The ornamental design for a data input and output terminal, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a data input and output terminal showing our new design in the opened position;
FIG. 2 is a right side elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a perspective view thereof in the closed position;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a front elevational view thereof;
FIG. 8 is a rear elevational view thereof;
FIG. 9 is a right side elevational view thereof; and,
FIG. 10 is a left side elevational view thereof.






FIG_1




FIG_2




FIG_3




FIG_4




FIG_5




FIG_7



FIG_9



FIG_6



FIG_8



FIG_10