



US00D334760S

United States Patent [19]

[11] Patent Number: **Des. 334,760**

Ina et al.

[45] Date of Patent: **** Apr. 13, 1993**

[54] **COMBINED VIDEO CAMERA AND TAPE RECORDER**

D. 315,915 4/1991 Morimiya D16/202
D. 323,841 2/1992 Iwama et al. D16/202
4,772,902 9/1988 Inoue et al. 358/229

[75] Inventors: **Takao Ina; Hiroshi Fukuda**, both of Kanagawa; **Hideo Miura**, Tokyo, all of Japan

FOREIGN PATENT DOCUMENTS

59-28768 2/1984 Japan 358/906

[73] Assignee: **Fuji Photo Film Co., Ltd.**, Kanagawa, Japan

Primary Examiner—B. J. Bullock
Assistant Examiner—Adir Aronovich
Attorney, Agent, or Firm—Young & Thompson

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **646,377**

The ornamental design for a combined video camera and tape recorder, as shown and described.

[22] Filed: **Jan. 28, 1991**

[30] **Foreign Application Priority Data**

Jul. 30, 1990 [JP] Japan 2-25824

[52] U.S. Cl. **D16/202**

[58] Field of Search D16/200-206,
D16/208, 209, 216-218; 354/82, 298, 293;
358/229, 906, 909; 352/34, 242, 243

DESCRIPTION

FIG. 1 is a top front and right side perspective view of a combined video camera and tape recorder showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a left side elevational view thereof;

FIG. 7 is a right side elevational view thereof; and,

FIG. 8 is a top, front and right side perspective view, the hand grip shown in a collapsed position.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 223,410 4/1972 Larson D16/202
D. 247,568 3/1978 Miller et al. D16/206





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

