



US00D334888S

United States Patent [19]
Merritt

[11] **Patent Number: Des. 334,888**
[45] **Date of Patent: ** Apr. 20, 1993**

- [54] **BOTTLE LIFTER**
- [76] **Inventor: James A. Merritt, P.O. Box 206, Pleasanton, Calif. 94566**
- [**] **Term: 14 Years**
- [21] **Appl. No.: 648,442**
- [22] **Filed: Jan. 29, 1991**
- [52] **U.S. Cl. D9/455; D9/434; D9/499**
- [58] **Field of Search D9/434, 455, 499; D8/1, D8/107; D17/99; D21/86, 92, 210; 294/26, 153, 164; 220/696, 699, 700, 701, 737**

2585-676-A 2/1987 France .

OTHER PUBLICATIONS

Ad for "Bottle Mate 2 ®", dated Oct. 1, 1990.

Primary Examiner—Bernard Ansher
Assistant Examiner—Dominic Simone
Attorney, Agent, or Firm—Townsend and Townsend Khourie and Crew

[56] **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|------------|---------|----------------------|---------|
| D. 246,006 | 10/1977 | Burr et al. | D21/92 |
| D. 300,713 | 4/1989 | Trapasso | D8/1 |
| 1,839,636 | 1/1932 | Baker | 294/164 |
| 1,875,618 | 9/1932 | Lenon | D8/1 |
| 2,806,731 | 10/1953 | Comstock, Jr. . | |
| 3,429,606 | 2/1969 | Brasseur | 294/26 |
| 3,520,570 | 7/1968 | Christopher et al. . | |
| 3,708,196 | 1/1973 | Snell . | |
| 3,963,206 | 6/1976 | Scolaro et al. . | |
| 4,753,474 | 6/1988 | Radford . | |
| 4,754,893 | 7/1988 | Dunn . | |
| 4,818,121 | 4/1989 | Wolk | 294/164 |
| 4,856,834 | 8/1989 | Lancaster et al. . | |

FOREIGN PATENT DOCUMENTS


1564018 4/1969 France .

[57] **CLAIM**

The ornamental design for a bottle lifter, as shown and described.

DESCRIPTION.

FIG. 1 is a perspective view of a bottle lifter showing my new design;
 FIG. 2 is a top plan view thereof;
 FIG. 3 is a front elevational view thereof;
 FIG. 4 is a right side elevational view thereof;
 FIG. 5 is a rear elevational view thereof;
 FIG. 6 is a left side elevational view thereof;
 FIG. 7 is a bottom plan view thereof;
 FIG. 8 is a perspective view of a second alternative embodiment of the bottle lifter of FIG. 1;
 FIG. 9 is a perspective view of a third alternative embodiment of the bottle lifter of FIG. 1;
 FIG. 10 is a top plan view thereof;
 FIG. 11 is a front elevational view thereof;
 FIG. 12 is a right side elevational view thereof;
 FIG. 13 is a rear elevational view thereof;
 FIG. 14 is a left side elevational view thereof; and,
 FIG. 15 is a bottom plan view thereof.






FIG. 1.




FIG. 2.




FIG. 6.




FIG. 3.




FIG. 4.




FIG. 5.




FIG. 7.




FIG. 8.




FIG. 9.




FIG. 10.




FIG. 14.




FIG. 11.




FIG. 12.




FIG. 13.




FIG. 15.