



US00D334890S

United States Patent [19]
Meyer

[11] **Patent Number: Des. 334,890**
[45] **Date of Patent: ** Apr. 20, 1993**

[54] **UPPER AND SIDE PORTIONS OF A WATCH/STOP WATCH**

[75] **Inventor: Jacques Meyer, Paris, France**

[73] **Assignee: Compagnie Generale Horlogere, Paris, France**

[**] **Term: 14 Years**

[21] **Appl. No.: 552,214**

[22] **Filed: Jul. 13, 1990**

[30] **Foreign Application Priority Data**

Jan. 15, 1990 [XH] Hague DM/015680

[52] **U.S. Cl. D10/30; D10/31; D10/68**

[58] **Field of Search D10/1-40, D10/68, 122-132; 368/10, 280-282, 285, 276-277; 33/355**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 288,668 3/1987 Flury D10/31
D. 302,124 7/1989 Bevins D10/31 X
3,427,800 2/1969 Blum D10/30 X

OTHER PUBLICATIONS

Swiss Watch & Jewelry Journal—Feb. 1989—p. 479—watches at bottom.

European Jeweler (G.Z)—Apr. 1987—p. 53—watch at bottom-left.

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Fisher, Christen & Sabol

[57] **CLAIM**

The ornamental design of the upper and side portions of a watch/stop watch, as shown.

DESCRIPTION

FIG. 1 is a bottom right front perspective view of the upper and side portions of a watch/stop watch showing my new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a rear elevational view thereof;

FIG. 7 is a left side elevational view thereof;

FIG. 8 is a bottom and right-front perspective view of a second embodiment my new design of FIGS. 1-7; and,

FIG. 9 is a front elevational view thereof.

The band-ends, connectors and rear of both embodiments shown in broken-lines are environmental only and form no part of the claimed design.



FIG. 1



FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8




FIG. 9

