



US00D334923S

United States Patent [19]

Dodge et al.

[11] Patent Number: Des. 334,923

[45] Date of Patent: ** Apr. 20, 1993

[54] FACSIMILE TRANSCIVER

[75] Inventors: **Chuck Dodge**, Escondido, Calif.;
Yoshikazu Hokura, Yokohama; **Junji**
Morihiro, Ueda, both of Japan

[73] Assignee: **Hewlett-Packard Company**, Palo
Alto, Calif.

[**] Term: **14 Years**

[21] Appl. No.: **639,824**

[22] Filed: **Jan. 9, 1991**

[30] Foreign Application Priority Data

Jul. 10, 1990 [JP] Japan 2-23339

[52] U.S. Cl. **D14/118**

[58] Field of Search D14/118, 124, 299;
D18/36, 37; 358/400, 401

[56] References Cited

U.S. PATENT DOCUMENTS

D. 300,532 4/1989 Yoshihama D14/118

D. 304,186 10/1989 Kojima D14/118
D. 305,651 1/1990 Hino D14/118
D. 314,377 2/1991 Watanabe et al. D14/118
D. 315,151 3/1991 Tasano et al. D14/118
D. 318,485 7/1991 Hikawa et al. D18/37

Primary Examiner—Theodore M. Shooman

[57] CLAIM

The ornamental design for a facsimile transceiver, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and left side perspective view of a facsimile transceiver showing our new design;

FIG. 2 is a top, front and left side perspective view thereof, shown with the receiver in an unhooked position;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a front view elevational thereof;

FIG. 6 is a rear view elevational thereof;

FIG. 7 is a right side elevational view thereof; and,

FIG. 8 is a left side elevational view thereof.





FIG 1






FIG 2




FIG 3




FIG 4




FIG 5




FIG 6




FIG 7




FIG 8