



US00D334953S

United States Patent [19]

Kawahara et al.

[11] Patent Number: **Des. 334,953**

[45] Date of Patent: **** Apr. 20, 1993**

[54] CONSTRUCTION TOY ELEMENT

[75] Inventors: **Jun Kawahara; Tatsuo Nakamata,**
both of Tokyo, Japan

[73] Assignee: **Combi Corporation,** Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **780,314**

[22] Filed: **Oct. 22, 1991**

[30] Foreign Application Priority Data

Apr. 22, 1991 [JP] Japan 3-11549

[52] U.S. Cl. **D21/108**

[58] Field of Search D21/108, 124, 135, 141,
D21/142; D14/217; D19/59, 62; 446/88, 94,
95, 96, 103, 121, 128, 107, 485, 487

[56] References Cited

U.S. PATENT DOCUMENTS

D. 260,790 9/1981 Gabriel D21/108
D. 285,948 9/1986 Mazzolehi D21/108

3,176,428 4/1965 Slingluff 446/107
3,830,011 8/1974 Ochrymowich 446/107
4,030,209 6/1977 Dreiding 446/107
4,712,184 12/1987 Haugerud 446/95

Primary Examiner—Bernard Ansher
Assistant Examiner—R. Barkai
Attorney, Agent, or Firm—Sughrue, Mion, Zinn,
Macpeak & Seas

[57] CLAIM

The ornamental design for a construction toy element, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a construction toy element showing our new design; FIG. 2 is a side elevational view, the opposite side being a mirror image thereof; FIG. 3 is a top plan view, the bottom being a mirror image thereof; and, FIG. 4 is an end view, the opposite end being a mirror image thereof.




Fig. 1




Fig. 2




Fig. 3




Fig. 4

