



US00D335095S

# United States Patent [19]

[11] Patent Number: **Des. 335,095**

**Kuramoto**

[45] Date of Patent: **\*\* Apr. 27, 1993**

[54] **VOLTAMMETER**

D. 264,448	5/1982	Kuramoto	.....	D10/79
D. 312,420	11/1990	Kuramoto	.....	D10/79
4,283,677	8/1981	Niwa	.....	D10/79 X
4,825,154	4/1989	Gross et al.	.....	324/149 X

[75] Inventor: **Masamichi Kuramoto, Tokyo, Japan**

[73] Assignee: **Kyoritsu Electrical Instruments Works, Ltd., Tokyo, Japan**

[\*\*] Term: **14 Years**

[21] Appl. No.: **574,235**

[22] Filed: **Aug. 28, 1990**

[30] Foreign Application Priority Data

Mar. 30, 1990 [JP] Japan ..... 2-10585

[52] U.S. Cl. .... **D10/79**

[58] Field of Search ..... **D10/79; 324/72.5, 117 H, 324/126, 127, 128, 129, 130, 149, 156, 158 P, 159 F**

[56] **References Cited**

### U.S. PATENT DOCUMENTS

D. 242,609	12/1976	Melvin	.....	D10/79
D. 251,060	2/1979	Kuramoto	.....	D10/79

*Primary Examiner*—Alan P. Douglas  
*Assistant Examiner*—Antoine O. Davis  
*Attorney, Agent, or Firm*—Oblon, Spivak, McClelland, Maier & Neustadt

### [57] CLAIM

The ornamental design for a voltammeter, as shown and described.

### DESCRIPTION

FIG. 1 is a front elevational view of a voltammeter, showing my new design;  
FIG. 2 is a rear side elevational view thereof;  
FIG. 3 is a right side elevational view thereof;  
FIG. 4 is a left side elevational view thereof;  
FIG. 5 is a top plan view thereof;  
FIG. 6 is a bottom plan view thereof; and,  
FIG. 7 is a front elevational view thereof, with jaws in an open position.




FIG.1




FIG.2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

