



US00D335095S

United States Patent [19]

[11] Patent Number: **Des. 335,095**

Kuramoto

[45] Date of Patent: **** Apr. 27, 1993**

[54] **VOLTAMMETER**

D. 264,448	5/1982	Kuramoto	D10/79
D. 312,420	11/1990	Kuramoto	D10/79
4,283,677	8/1981	Niwa	D10/79 X
4,825,154	4/1989	Gross et al.	324/149 X

[75] Inventor: **Masamichi Kuramoto, Tokyo, Japan**

[73] Assignee: **Kyoritsu Electrical Instruments Works, Ltd., Tokyo, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **574,235**

[22] Filed: **Aug. 28, 1990**

[30] **Foreign Application Priority Data**

Mar. 30, 1990 [JP] Japan 2-10585

[52] U.S. Cl. **D10/79**

[58] Field of Search D10/79; 324/72.5, 117 H, 324/126, 127, 128, 129, 130, 149, 156, 158 P, 159 F

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 242,609	12/1976	Melvin	D10/79
D. 251,060	2/1979	Kuramoto	D10/79

Primary Examiner—Alan P. Douglas
Assistant Examiner—Antoine O. Davis
Attorney, Agent, or Firm—Oblon, Spivak, McClelland, Maier & Neustadt

[57] CLAIM

The ornamental design for a voltammeter, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a voltammeter, showing my new design;
FIG. 2 is a rear side elevational view thereof;
FIG. 3 is a right side elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof; and,
FIG. 7 is a front elevational view thereof, with jaws in an open position.




FIG.1




FIG.2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

