



US00D335100S

# United States Patent [19]

[11] Patent Number: **Des. 335,100**

Goto et al.

[45] Date of Patent: **\*\* Apr. 27, 1993**

[54] **CLOCK MOVEMENT**

[75] Inventors: **Nobuhiro Goto; Hidetsugu Ikeda; Koichi Miyagi**, all of Tokyo, Japan

[73] Assignee: **Seikosha Co., Ltd.**, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **705,158**

[22] Filed: **May 24, 1991**

[30] **Foreign Application Priority Data**

Nov. 28, 1990 [JP] Japan ..... 2-39682

[52] U.S. Cl. .... **D10/129**

[58] Field of Search ..... D10/128-130; 368/88, 134, 165, 179-180, 204, 220, 244, 300

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 311,151 10/1990 Kaneko ..... D10/129

D. 318,024 7/1991 Kaneko ..... D10/129

D. 319,603 9/1991 Ikuma ..... D10/129  
4,228,533 10/1980 Siefert ..... 368/134  
4,241,437 12/1980 Ashida ..... 368/134  
4,829,495 5/1989 Kaneko ..... 368/134


*Primary Examiner*—Nelson C. Holtje  
*Attorney, Agent, or Firm*—Bruce L. Adams; Van C. Wilks

[57] **CLAIM**

The ornamental design for a clock movement, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a clock movement showing our new design;  
FIG. 2 is a rear elevational view thereof;  
FIG. 3 is a top plan view thereof;  
FIG. 4 is a bottom plan view thereof;  
FIG. 5 is a left side elevational view thereof;  
FIG. 6 is a right side elevational view thereof;  
FIG. 7 is a front right perspective view thereof; and,  
FIG. 8 is a rear right perspective view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 6






FIG. 4



*FIG. 7*



*FIG. 8*