



US00D335100S

United States Patent [19]

[11] Patent Number: **Des. 335,100**

Goto et al.

[45] Date of Patent: **** Apr. 27, 1993**

[54] **CLOCK MOVEMENT**

D. 319,603	9/1991	Ikuma	D10/129
4,228,533	10/1980	Siefert	368/134
4,241,437	12/1980	Ashida	368/134
4,829,495	5/1989	Kaneko	368/134

[75] Inventors: **Nobuhiro Goto; Hidetsugu Ikeda; Koichi Miyagi**, all of Tokyo, Japan

[73] Assignee: **Seikosha Co., Ltd.**, Japan

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Bruce L. Adams; Van C. Wilks

[**] Term: **14 Years**

[21] Appl. No.: **705,158**

[57] **CLAIM**

[22] Filed: **May 24, 1991**

The ornamental design for a clock movement, as shown and described.

[30] **Foreign Application Priority Data**

Nov. 28, 1990	[JP]	Japan	2-39682
[52]	U.S. Cl.	D10/129	
[58]	Field of Search	D10/128-130;	
			368/88, 134, 165, 179-180, 204, 220, 244, 300	


DESCRIPTION

FIG. 1 is a front elevational view of a clock movement showing our new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof;
FIG. 7 is a front right perspective view thereof; and,
FIG. 8 is a rear right perspective view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 311,151	10/1990	Kaneko	D10/129
D. 318,024	7/1991	Kaneko	D10/129






FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 6




FIG. 4




FIG. 7




FIG. 8