



US00D335134S

United States Patent [19]

Sclafani et al.

[11] Patent Number: **Des. 335,134**

[45] Date of Patent: **** Apr. 27, 1993**

[54] NOVELTY EYEGLASS FRAMES

[76] Inventors: **Richard E. Sclafani**, 615 NW. 81st St., Seattle, Wash. 98117; **Peter S. Cicero**, 2024 NW. 64th St., Seattle, Wash. 98107

[**] Term: **14 Years**

[21] Appl. No.: **918,399**

[22] Filed: **Jul. 24, 1992**

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 507,138, Apr. 2, 1990.

[52] U.S. Cl. **D16/104**

[58] Field of Search **D16/102, 104, 107, 111-112, D16/117, 119, 125, 127; D21/240; D18/26, 29; 351/41, 44-46, 51-52, 83, 124, 154; 2/426, 439, 452, 436, 432, 447, 454**

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 257,437 10/1980 Wittke et al. D16/104
- D. 268,766 4/1983 Lewis D16/102
- 4,045,131 8/1977 Sherman D16/104

OTHER PUBLICATIONS

- Optician Dec. 13, 1985 p. 7 "Look" Glasses (Spectacles Digest).
- Optician Apr. 22, 1988 p. 24 middle right (Spectacles Digest).
- Decorative and Display Numbers 1985 p. 84 "c" (Design Library).
- Decorative and Display Numbers 1985 p. 11 "c" (Design Library).


Primary Examiner—Bernard Ansher
Assistant Examiner—R. Barkai
Attorney, Agent, or Firm—Russell W. Illich

[57] CLAIM

The ornamental design for novelty eyeglass frames, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of novelty eyeglass frames showing my new design;
 FIG. 2 is a rear perspective view thereof;
 FIG. 3 is a left side elevational view thereof, the right side elevational view being a mirror image;
 FIG. 4 is a top plan view thereof;
 FIG. 5 is a front perspective view of a second modified embodiment of the design shown in FIGS. 1-4;
 FIG. 6 is a perspective view of a third modified embodiment of the design shown in FIGS. 1-4;
 FIG. 7 is a perspective view of a fourth modified embodiment of the design shown in FIGS. 1-4;
 FIG. 8 is a perspective view of a fifth modified embodiment of the design shown in FIGS. 1-4;
 FIG. 9 is a perspective view of a sixth modified embodiment of the design shown in FIGS. 1-4;
 FIG. 10 is a perspective view of a seventh modified embodiment of the design shown in FIGS. 1-4;
 FIG. 11 is a perspective view of an eighth modified embodiment of the design shown in FIGS. 1-4;
 FIG. 12 is a perspective view of a ninth modified embodiment of the design shown in FIGS. 1-4;
 FIG. 13 is a perspective view of a tenth modified embodiment of the design shown in FIGS. 1-4;
 FIG. 14 is a rear perspective view thereof;
 FIG. 15 is a left side elevational view thereof, the right side elevational view being a mirror image;
 FIG. 16 is a top plan view thereof;
 FIG. 17 is a perspective view of an eleventh modified embodiment of the design shown in FIGS. 1-4;
 FIG. 18 is a perspective view of a twelfth modified embodiment of the design shown in FIGS. 1-4;
 FIG. 19 is a perspective view of a thirteenth modified embodiment of the design shown in FIGS. 1-4; and,
 FIG. 20 is a perspective view of a fourteenth modified embodiment of the design in FIGS. 1-4.






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16

