



US00D335134S

United States Patent [19]

Sclafani et al.

[11] Patent Number: Des. 335,134

[45] Date of Patent: ** Apr. 27, 1993

[54] NOVELTY EYEGLASS FRAMES

[76] Inventors: **Richard E. Sclafani**, 615 NW. 81st St., Seattle, Wash. 98117; **Peter S. Cicero**, 2024 NW. 64th St., Seattle, Wash. 98107

[**] Term: **14 Years**

[21] Appl. No.: **918,399**

[22] Filed: **Jul. 24, 1992**

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 507,138, Apr. 2, 1990.

[52] U.S. Cl. **D16/104**

[58] Field of Search **D16/102, 104, 107, 111-112, D16/117, 119, 125, 127; D21/240; D18/26, 29; 351/41, 44-46, 51-52, 83, 124, 154; 2/426, 439, 452, 436, 432, 447, 454**

[56] References Cited

U.S. PATENT DOCUMENTS

D. 257,437 10/1980 Wittke et al. **D16/104**

D. 268,766 4/1983 Lewis **D16/102**

4,045,131 8/1977 Sherman **D16/104**

OTHER PUBLICATIONS

Optician Dec. 13, 1985 p. 7 "Look" Glasses (Spectacles Digest).

Optician Apr. 22, 1988 p. 24 middle right (Spectacles Digest).

Decorative and Display Numbers 1985 p. 84 "c" (Design Library).

Decorative and Display Numbers 1985 p. 11 "c" (Design Library).

Primary Examiner—Bernard Ansher

Assistant Examiner—R. Barkai

Attorney, Agent, or Firm—Russell W. Illich

[57] CLAIM

The ornamental design for novelty eyeglass frames, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of novelty eyeglass frames showing my new design;

FIG. 2 is a rear perspective view thereof;

FIG. 3 is a left side elevational view thereof, the right side elevational view being a mirror image;

FIG. 4 is a top plan view thereof;

FIG. 5 is a front perspective view of a second modified embodiment of the design shown in FIGS. 1-4;

FIG. 6 is a perspective view of a third modified embodiment of the design shown in FIGS. 1-4;

FIG. 7 is a perspective view of a fourth modified embodiment of the design shown in FIGS. 1-4;

FIG. 8 is a perspective view of a fifth modified embodiment of the design shown in FIGS. 1-4;

FIG. 9 is a perspective view of a sixth modified embodiment of the design shown in FIGS. 1-4;

FIG. 10 is a perspective view of a seventh modified embodiment of the design shown in FIGS. 1-4;

FIG. 11 is a perspective view of an eighth modified embodiment of the design shown in FIGS. 1-4;

FIG. 12 is a perspective view of a ninth modified embodiment of the design shown in FIGS. 1-4;

FIG. 13 is a perspective view of a tenth modified embodiment of the design shown in FIGS. 1-4;

FIG. 14 is a rear perspective view thereof;

FIG. 15 is a left side elevational view thereof, the right side elevational view being a mirror image;


FIG. 16 is a top plan view thereof;

FIG. 17 is a perspective view of an eleventh modified embodiment of the design shown in FIGS. 1-4;

FIG. 18 is a perspective view of a twelfth modified embodiment of the design shown in FIGS. 1-4;

FIG. 19 is a perspective view of a thirteenth modified embodiment of the design shown in FIGS. 1-4; and,

FIG. 20 is a perspective view of a fourteenth modified embodiment of the design in FIGS. 1-4.






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16

