



US00D335277S

United States Patent [19]
Hattori

[11] **Patent Number: Des. 335,277**
[45] **Date of Patent: ** May 4, 1993**

[54] **BATTERY PACK**

[75] **Inventor: Noriyasu Hattori, La Mirada, Calif.**

[73] **Assignee: Makita Corporation, Aichi, Japan**

[**] **Term: 14 Years**

[21] **Appl. No.: 780,312**

[22] **Filed: Oct. 22, 1991**

[52] **U.S. Cl. D13/103**

[58] **Field of Search D13/103; 379/413, 428,
379/440, 441, 442; 320/2; 429/96, 97, 99, 100,
123, 163, 178**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 306,851	3/1990	Weimann	D13/103
3,880,673	4/1975	Buhrer	429/99 X
4,205,121	5/1980	Naitoh	429/99
4,288,733	9/1981	Bilanceri et al.	320/2
5,065,082	11/1991	Fushiya	320/2

FOREIGN PATENT DOCUMENTS

55-90114 6/1980 Japan .

OTHER PUBLICATIONS

English catalog (Makita), printed Mar. 1990 and distributed in the United States (three pages).

Primary Examiner—Wallace R. Burke

Assistant Examiner—Joel Sincavage

Attorney, Agent, or Firm—Dennison, Meserole, Pollack & Scheiner

[57] **CLAIM**

The ornamental design for a battery pack, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a battery pack showing my new design;

FIG. 2 is a front elevational view thereof;


FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7