



US00D335284S

United States Patent [19]
McIlwraith

[11] **Patent Number: Des. 335,284**
[45] **Date of Patent: ** May 4, 1993**

[54] **CLIP-ON ELECTROMAGNETIC SHIELDING GASKET**

4,720,606 1/1988 Senn .
4,820,885 4/1989 Lindsay 174/35 GC
4,864,076 9/1989 Stickney .

[75] **Inventor: George McIlwraith, Stone Mountain, Ga.**

OTHER PUBLICATIONS

[73] **Assignee: Gichner Systems Group, Inc., Dallastown, Pa.**

Two photographs of an embodiment of U.S. Pat. No. 4,864,070.

[**] **Term: 14 Years**

Primary Examiner—James R. Largen
Attorney, Agent, or Firm—Jones & Askew

[21] **Appl. No.: 625,595**

[57] **CLAIM**

[22] **Filed: Dec. 11, 1990**

The ornamental design for a clip-on electromagnetic shielding gasket, as shown and described.

[52] **U.S. Cl. D13/184; D13/199**

[58] **Field of Search D13/184, 199; 174/35 GC**


DESCRIPTION

[56] **References Cited**

U.S. PATENT DOCUMENTS

3,026,367	5/1959	Hartwell .	
3,504,095	3/1970	Roberson et al.	174/35 GC
3,583,930	6/1971	Ehrreich et al. .	
3,812,316	5/1974	Milburn .	
3,904,810	9/1975	Kraus	174/35 GC
4,623,752	11/1986	Steen et al.	174/35 GC
4,652,695	3/1987	Busby .	
4,659,869	4/1987	Busby .	
4,705,916	11/1987	Wadhera et al. .	

FIG. 1 is a perspective view taken from the front and right end of a clip-on electromagnetic shielding gasket showing my new design;
FIG. 2 is a left end elevational view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a rear elevational view thereof; and,
FIG. 6 is a bottom plan view thereof.
It is to be understood that the center of the gasket is shown broken away in FIGS. 1 and 3 through 6 to indicate indeterminate length.








Fig. 1

Fig. 2

Fig. 3






Fig. 4




Fig. 5




Fig. 6