



US00D335299S

# United States Patent [19]

[11] Patent Number: **Des. 335,299**

**Guidry**

[45] Date of Patent: **\*\* May 4, 1993**

[54] **CALLOUS BUILDING DEVICE FOR THE FINGERS**

3,756,223	9/1973	Carbone .....	84/465
4,730,827	3/1988	Williams .....	482/49
4,828,249	5/1989	Keating .....	482/48

[76] Inventor: **Mark Guidry, 410 Steeplechase Dr., Lafayette, La. 70506**

### FOREIGN PATENT DOCUMENTS

[\*\*] Term: **14 Years**

3640266	6/1988	Fed. Rep. of Germany .....	482/49
715093	2/1980	U.S.S.R. ....	482/49
2221847	2/1990	United Kingdom .....	482/49

[21] Appl. No.: **674,057**

[22] Filed: **Mar. 25, 1991**

*Primary Examiner*—Bernard Ansher  
*Assistant Examiner*—C. Tuttle  
*Attorney, Agent, or Firm*—S. Pal Asija

[52] U.S. Cl. .... **D17/99; D21/198; D28/59**

[58] Field of Search ..... **D21/59, 64, 191, 198; D17/14, 20, 24, 99; 84/465; 482/47-49; 128/26; D24/200, 214; D28/56-59, 61**

### [57] CLAIM

The ornamental design for a callous building device for the fingers, as shown.


### [56] References Cited

#### U.S. PATENT DOCUMENTS

121,289	11/1871	Debruynekops .....	482/47
D. 159,662	8/1950	Patek .....	D28/56
2,223,204	11/1940	Carmichael .....	D28/56 X
2,461,695	2/1949	McMahon .....	482/47
2,546,118	3/1951	Wright .....	482/48
3,129,939	4/1964	Stock .....	482/49

### DESCRIPTION

FIG. 1 is a front elevational view of a callous building device for the fingers showing my new design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a right side elevational view thereof; FIG. 4 is a left side elevational view thereof; FIG. 5 is a top plan view thereof; and, FIG. 6 is a bottom plan view thereof.






Fig. 1




Fig. 3




Fig. 4




Fig. 5




Fig. 2




Fig. 6