



US00D335301S

United States Patent [19]

[11] Patent Number: **Des. 335,301**

Kwak

[45] Date of Patent: **** May 4, 1993**

[54] **PHOTOSENSITIVE DRUM CARTRIDGE FOR AN ELECTROPHOTOGRAPHIC APPARATUS**

D. 329,453 9/1992 Tashiro D18/43
4,816,877 3/1989 Keen 222/DIG. 1

[75] Inventor: **Jin-keun Kwak**, Suwon, Rep. of Korea

[73] Assignee: **Samsung Electronics Co., Ltd.**, Kyunggi, Rep. of Korea

[**] Term: **14 Years**

[21] Appl. No.: **635,336**

[22] Filed: **Dec. 28, 1990**

[30] **Foreign Application Priority Data**

Sep. 29, 1990 [KR] Rep. of Korea 90-14040

[52] U.S. Cl. **D18/43**

[58] Field of Search D18/43, 56; D16/246, D16/250; 206/527; 222/166, 240, 325, 541, DIG. 1; 141/1; 118/653, 657; 355/260, 298

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 286,297 10/1986 Clowe et al. D18/43
D. 323,184 1/1992 Sugawara D18/56

OTHER PUBLICATIONS

Office Products Dealer, Nov. 1989, p. 24, Toner Cartridge #922952HLP, center of page.

Primary Examiner—Alan P. Douglas

Assistant Examiner—Ann Hunt

Attorney, Agent, or Firm—Leydig, Voit & Mayer

[57] **CLAIM**

The ornamental design for a photosensitive drum cartridge for an electrophotographic apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a top front perspective view of a photosensitive drum cartridge for an electrophotographic apparatus showing my new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a left side elevational view thereof; and,

FIG. 7 is a right side elevational view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

