



US00D335363S

United States Patent [19]

[11] Patent Number: **Des. 335,363**

Van Norman et al.

[45] Date of Patent: **** May 4, 1993**

[54] **COMBINED CIGARETTE LIGHTER AND BASE THEREFOR**

[76] Inventors: **Kenneth M. Van Norman; John S. Van Norman**, both of 2709-18th St. EM, Silvis, Ill. 61282

[**] Term: **14 Years**

[21] Appl. No.: **437,498**

[22] Filed: **Nov. 16, 1989**

[52] U.S. Cl. **D27/142; D27/154; D27/156**

[58] Field of Search **248/348.1; D27/109, D27/117, 152-157, 160, 142; D19/96; D21/53, 51, 49**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 96,376	5/1935	Florman	D27/157 X
D. 106,571	2/1937	Loewy	D27/160
D. 147,131	1/1946	Keenan	D27/152
D. 150,099	9/1945	Taylor et al.	D21/51
D. 153,563	1/1947	Sherman	D27/153 X
D. 176,944	2/1956	Ogden	D21/53
D. 207,662	4/1966	Gandleman	D27/155
D. 207,664	5/1967	Gandleman	D27/155
D. 215,116	9/1969	Goto	D27/154
D. 229,966	1/1974	Lockwood	D27/156
D. 230,069	1/1974	Yoshinaga	D27/156
D. 249,165	8/1978	Hallden	D27/156
D. 294,524	3/1988	Garcia de la Noceda Fierro	D27/156
390,702	10/1888	Pflueger	D21/51
1,121,989	12/1914	Dreyer	D21/51
2,595,961	12/1948	Layne	248/346.1
2,614,842	1/1946	Rice	D21/51
2,652,703	9/1953	Keegan	248/346.1

OTHER PUBLICATIONS

"A Manuel of Engineering Drawing", 1935, p. 71, various geometric shapes—triangles—equilateral & isosceles, plinths—circular & round—see circled items A & B.

Primary Examiner—Wallace R. Burke

Assistant Examiner—H. Baynham

Attorney, Agent, or Firm—Robert O. Richardson

[57] **CLAIM**


The ornamental design for a combined cigarette lighter and base therefor, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a combined cigarette lighter and base therefor showing my new design;
 FIG. 2 is a top plan view of the base only;
 FIG. 3 is a side elevational view thereof with the opposite sides being mirror images thereof;
 FIG. 4 is a bottom plan view thereof;
 FIG. 5 is a top plan view of a second embodiment of the design shown in FIG. 1 with the lighter removed;
 FIG. 6 is a side elevational view thereof with the opposite sides being mirror images thereof;
 FIG. 7 is a bottom plan view thereof;
 FIG. 8 is a top plan view of a third embodiment of the design shown in FIG. 1 with the lighter removed;
 FIG. 9 is a side elevational view thereof with the opposite sides being mirror images thereof;
 FIG. 10 is a bottom plan view thereof;
 FIG. 11 is a top plan view of a fourth embodiment of the design shown in FIG. 1 with the lighter removed;
 FIG. 12 is a front elevational view thereof with the rear being a mirror image thereof;
 FIG. 13 is a side elevational view thereof with the opposite side being a mirror image thereof;
 FIG. 14 is a bottom plan view thereof;
 FIG. 15 is a top plan view of a fifth embodiment of the design shown in FIG. 1 with the lighter removed;
 FIG. 16 is a front elevational view thereof;
 FIG. 17 is a side elevational view thereof with the opposite side and rear views being mirror images thereof;
 FIG. 18 is a bottom plan view thereof;
 FIG. 19 is a side elevational view of the first embodiment with the opposite side being a mirror image thereof;
 FIG. 20 is an end elevational view thereof;
 FIG. 21 is an opposite end elevational view thereof; and,
 FIG. 22 is a top plan view thereof.

The lighter has been omitted in FIGS. 2-18 for ease of illustration.

The surface shading shown in FIGS. 4, 7, 10, 14 and 18 represents a gray bottom surface.






FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7




FIG. 8



FIG. 9




FIG. 10




FIG. 11



FIG. 12




FIG. 14



FIG. 13




FIG. 15



FIG. 16



FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22