



US00D335376S

United States Patent [19]

[11] Patent Number: **Des. 335,376**

Mochiki et al.

[45] Date of Patent: **** May 4, 1993**

[54] PIGGY BANK

[75] Inventors: **Shigeya Mochiki, Osaka; Hiroyuki Miyai, Hyogo; Masaki Kitsukawa, Osaka, all of Japan**

[73] Assignee: **Sanyo Electric Co., Ltd., Osaka, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **658,850**

[22] Filed: **Feb. 21, 1991**

[30] Foreign Application Priority Data

Aug. 22, 1990 [JP] Japan 2-28209

[52] U.S. Cl. **D99/38**

[58] Field of Search D99/38, 37; 206/0.8, 206/0.81, 0.82

[56] References Cited

U.S. PATENT DOCUMENTS

D. 18,352	5/1888	Graff	D99/37
D. 260,912	9/1981	Appel et al.	D99/37
D. 288,499	2/1987	Wan	D99/36
D. 309,972	8/1990	Chiba	D99/37

OTHER PUBLICATIONS

Japanese Patent Publication No. 585372 dated Jun. 29, 1982.

Japanese Patent Publication No. 762186 dated Feb. 22, 1989.

Japanese Patent Publication No. 696007 dated Sep. 11, 1986.

Japanese Patent Publication No. 635272 dated Jul. 17, 1984.

Primary Examiner—Alan P. Douglas

Assistant Examiner—Jeff Musgrove

Attorney, Agent, or Firm—Darby & Darby

[57] CLAIM

The ornamental design for piggy bank, as shown.

DESCRIPTION

FIG. 1 is a top, front and left-side perspective view of a piggy bank showing our new design;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a rear elevational view thereof;
 FIG. 4 is a top plan view thereof;
 FIG. 5 is a bottom plan view thereof;
 FIG. 6 is a left side elevational view thereof; and,
 FIG. 7 is a right side elevational view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 6

