



US00D335445S

# United States Patent [19]

[11] Patent Number: Des. 335,445

Detert et al.

[45] Date of Patent: \*\* May 11, 1993

[54] **FOOD PACKAGE**

4,487,311 12/1984 Lavery .

[75] Inventors: **Kenneth M. Detert, Madison, Wis.;**  
**Theodore J. Hasler, Chicago, Ill.**

4,903,842 2/1990 Tokuda et al. .... 206/469 X

5,042,652 5/1991 Grindrod ..... 206/45.34

[73] Assignee: **Oscar Mayer Foods Corporation,**  
**Madison, Wis.**

### OTHER PUBLICATIONS

[\*\*] Term: **14 Years**

Restaurant Eqpt. Dealer, Jun. 1967, p. 2, trays as shown.

[21] Appl. No.: **625,526**

Rubbermaid Food Service, Cat Apr. 1980, p. 9, pans as shown.

[22] Filed: **Dec. 11, 1990**

American Permanent Ware, Cat No. 15-1, Jan. 1972 front page as shown.

[52] U.S. Cl. .... **D9/418; D9/425;**  
**D9/341; D9/345**

*Primary Examiner*—Bernard Ansher

*Assistant Examiner*—Prabhakar Deshmukh

*Attorney, Agent, or Firm*—Joseph T. Harcarik

[58] Field of Search ..... **D9/418, 415, 425, 337,**  
**D9/416, 424, 431; D7/553, 554, 550, 602;**  
**206/45.31, 45.34, 216, 541, 469, 562, 563;**  
**229/162, 903, DIG. 13; 220/501, 4 R, 4 C, 4 D,**  
**521, DIG. 10; 426/106-123**

### [57] CLAIM

The ornamental design for a food package, as shown and described.

### [56] References Cited

### DESCRIPTION

#### U.S. PATENT DOCUMENTS

D. 232,612	9/1974	Christian et al. ....	D9/425 X
D. 243,914	4/1977	Marobashi et al. ....	D9/425 X
D. 263,796	4/1982	Fireman .....	D9/418
D. 265,551	7/1982	Colby et al. .	
D. 282,821	3/1986	Noyes .	
D. 305,204	12/1989	Reifein et al. .	
D. 305,205	12/1989	Grindrod et al. .	
D. 318,207	7/1991	Anderson .....	D7/553 X
2,106,276	1/1938	Heineman .	
2,921,673	1/1960	Ryan .	
3,079,913	3/1963	Nelson .....	426/114 X
3,334,734	8/1967	Meyers .	
3,339,724	9/1967	Hickin .	
3,487,915	1/1970	Scott .	
3,759,720	9/1973	Young .....	426/114
3,784,000	1/1974	Brown .	
4,013,798	3/1977	Goltos .	
4,097,611	6/1978	Seiferth et al. .	
4,114,760	9/1978	Entermann .....	206/562

FIG. 1 is a top plan view of a food package showing our new design;

FIG. 2 is a front elevational view thereof; the rear elevational view being a mirror image thereof;

FIG. 3 is a right side elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a top view thereof; in unfolded position;

FIG. 7 is a front elevational view of a tray in the package, shown separately for clarity of illustration; the top plan view being as shown in FIG. 6; the rear elevational view being identical to FIG. 7;


FIG. 8 is a right side elevational view of FIG. 7;

FIG. 9 is a left side elevational view of FIG. 7;


FIG. 10 is a bottom plan view of FIG. 7; and,

FIG. 11 is a top plan view of a modified form of FIG. 1.


The corresponding views of FIG. 11 are similar to as shown for FIG. 1.




*Fig. 1*



*Fig. 2*





*Fig. 3*



*Fig. 4*

*Fig. 5*




*Fig. 7*

*Fig. 8*





*Fig. 9*

*Fig. 6*



*Fig. 11*





*Fig. 10*