



US00D335468S

United States Patent [19]

Cumming

[11] Patent Number: **Des. 335,468**

[45] Date of Patent: **** May 11, 1993**

[54] **BALLOON DISTRESS SIGNAL KIT**

[76] Inventor: **Douglas W. Cumming**, Box 196 R.R. 3, Nogales, Ariz. 85621

[**] Term: **14 Years**

[21] Appl. No.: **708,616**

[22] Filed: **May 31, 1991**

[52] U.S. Cl. **D10/109**

[58] Field of Search **D10/104, 109, 111; 116/DIG. 8, DIG. 9, 210; 441/30, 31, 32**

[56] **References Cited**

U.S. PATENT DOCUMENTS

3,174,455	3/1965	Peterson	116/DIG. 9
3,250,241	5/1966	Levy et al.	D10/109
3,945,338	3/1976	Correa	D10/109
4,044,711	8/1977	Jamison	116/DIG. 8
4,052,955	10/1977	Haushalter	116/210
4,114,561	9/1978	Asaro	116/210
4,295,438	10/1981	Porter	116/DIG. 8
4,586,456	5/1986	Forward	116/DIG. 8

4,697,706	10/1987	Schaller	116/DIG. 8
5,020,467	6/1991	Van Patten et al.	116/DIG. 9

FOREIGN PATENT DOCUMENTS

1344133	4/1963	France .
504878	6/1954	Italy .


Primary Examiner—Wallace R. Burke
Assistant Examiner—Marcus Jackson
Attorney, Agent, or Firm—Terry M. Gernstein

[57] **CLAIM**

The ornamental design for a balloon distress signal kit, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a balloon distress signal kit showing my new design;
FIG. 2 is a front elevational view thereof, with the rear being a mirror image, with the omission of the balloon;
FIG. 3 is a side elevational view thereof, with the opposite side being a mirror image;
FIG. 4 is a top plan view thereof; and,
FIG. 5 is a bottom plan view thereof.






FIG. 1.




FIG. 3.




FIG. 2.

FIG. 4.




FIG. 5.

