



US00D335803S

United States Patent [19]

[11] Patent Number: Des. 335,803

Ohsumi

[45] Date of Patent: ** May 25, 1993

[54] TOOL FOR DISENGAGING AN ELECTRICAL CONNECTOR TERMINAL

4,519,130	5/1985	Schaefer	29/764
4,615,575	10/1986	Kossor	29/764
4,852,925	8/1989	Lodin	29/764
4,860,440	8/1989	Garbrick	29/764

[75] Inventor: Hideki Ohsumi, Shizuoka, Japan

[73] Assignee: Yazaki Corporation, Japan

[**] Term: 14 Years

Primary Examiner—Bernard Ansher
Assistant Examiner—Philip Hyder
Attorney, Agent, or Firm—Jones & Askew

[21] Appl. No.: 649,814

[57] CLAIM

[22] Filed: Feb. 1, 1991

The ornamental design for a tool for disengaging an electrical connector terminal, as shown.

[52] U.S. Cl. D8/14

[58] Field of Search D8/14, 82, 347; 29/764, 29/758, 825; 7/165; 81/3 R

DESCRIPTION

[56] References Cited

U.S. PATENT DOCUMENTS

D. 248,922	8/1978	Osak, Jr.	D8/82
D. 286,854	11/1986	Fane et al.	D8/347
D. 309,089	7/1990	Tsuji	D8/82
4,333,231	6/1982	Yeargin	29/764
4,494,305	1/1985	Safai	29/764

FIG. 1 is a perspective view of a tool for disengaging an electrical connector terminal showing my new design in actual use;


FIG. 2 is a front elevation view thereof, the rear elevation view being a mirror image;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left elevation view thereof; and,

FIG. 6 is a right elevation view thereof.






FIG 1




FIG 2




FIG 3




FIG 4




FIG 5




FIG 6