



US00D335822S

# United States Patent [19]

[11] Patent Number: **Des. 335,822**

**Yamamuro et al.**

[45] Date of Patent: **\*\* May 25, 1993**

## [54] SATELLITE LOCATION MEASURING RECEIVER

[75] Inventors: **Hidekazu Yamamuro; Yutaka Nakamura; Shigeyuki Sawaguchi**, all of Atsugi, Japan

[73] Assignee: **Sokkisha Co., Ltd.**, Tokyo, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **752,327**

[22] Filed: **Aug. 30, 1991**

### [30] Foreign Application Priority Data

Mar. 4, 1991 [JP]	Japan	3-5560
[52] U.S. Cl.		D10/65; D10/75
[58] Field of Search		D10/65, 75; 342/89, 342/98, 102, 113, 115, 352, 356, 357, 417-450; 343/765; 365/200, 434, 443, 440, 449, 460; 375/1

## [56] References Cited

### U.S. PATENT DOCUMENTS

D. 289,616	5/1987	Imazeki	.....	D10/65
D. 329,988	10/1992	Burrell et al.	.....	D10/65
4,651,282	3/1987	Robinson et al.	.....	D10/65 X
5,146,231	9/1992	Ghaem et al.	.....	342/419

*Primary Examiner*—Alan P. Douglas  
*Assistant Examiner*—Antoine D. Davis  
*Attorney, Agent, or Firm*—Bacon & Thomas

## [57] CLAIM

The ornamental design for a satellite location measuring receiver, as shown.

## DESCRIPTION

FIG. 1 is a top, front and right side perspective view of a satellite location measuring receiver showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a left side elevational view thereof; and,

FIG. 7 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

