



US00D335822S

# United States Patent [19]

[11] Patent Number: **Des. 335,822**

Yamamuro et al.

[45] Date of Patent: **\*\* May 25, 1993**

## [54] SATELLITE LOCATION MEASURING RECEIVER

[75] Inventors: **Hidekazu Yamamuro; Yutaka Nakamura; Shigeyuki Sawaguchi**, all of Atsugi, Japan

[73] Assignee: **Sokkisha Co., Ltd.**, Tokyo, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **752,327**

[22] Filed: **Aug. 30, 1991**

### [30] Foreign Application Priority Data

Mar. 4, 1991 [JP] Japan ..... 3-5560  
 [52] U.S. Cl. .... **D10/65; D10/75**  
 [58] Field of Search ..... **D10/65, 75; 342/89, 342/98, 102, 113, 115, 352, 356, 357, 417-450; 343/765; 365/200, 434, 443, 440, 449, 460; 375/1**

## [56] References Cited

### U.S. PATENT DOCUMENTS

D. 289,616 5/1987 Imazeki ..... D10/65  
 D. 329,988 10/1992 Burrell et al. .... D10/65  
 4,651,282 3/1987 Robinson et al. .... D10/65 X  
 5,146,231 9/1992 Ghaem et al. .... 342/419

*Primary Examiner*—Alan P. Douglas  
*Assistant Examiner*—Antoine D. Davis  
*Attorney, Agent, or Firm*—Bacon & Thomas

## [57] CLAIM

The ornamental design for a satellite location measuring receiver, as shown.

## DESCRIPTION

FIG. 1 is a top, front and right side perspective view of a satellite location measuring receiver showing our new design;  
 FIG. 2 is a front elevational view thereof;  
 FIG. 3 is a right side elevational view thereof;  
 FIG. 4 is a top plan view thereof;  
 FIG. 5 is a rear elevational view thereof;  
 FIG. 6 is a left side elevational view thereof; and,  
 FIG. 7 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

