



US00D335840S

United States Patent [19]

[11] Patent Number: **Des. 335,840**

Guspodin

[45] Date of Patent: **** May 25, 1993**

- [54] TIRE
- [75] Inventor: **James G. Guspodin, Akron, Ohio**
- [73] Assignee: **Bridgestone/Firestone, Inc., Akron, Ohio**
- [**] Term: **14 Years**
- [21] Appl. No.: **733,408**
- [22] Filed: **Jul. 22, 1991**
- [52] U.S. Cl. **D12/141**
- [58] Field of Search **D12/141-143, D12/145-148; 152/209 R, 209 D**

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—David A. Thomas

[57] **CLAIM**

The ornamental design for a tire, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of a tire embodying my new design, it being understood that the pattern is repeated throughout the circumference of the tire, the opposite side being substantially the same as that shown; FIG. 2 is a front elevational view thereof; FIG. 3 is a side elevational view thereof; FIG. 4 is an enlarged fragmentary cross-sectional perspective view of a segment of the tread thereof; FIG. 5 is an enlarged fragmentary cross-sectional perspective view of the groove area of the tread segment shown in FIG. 4 bounded by the ellipse designated as FIG. 5 therein; and, FIG. 6 is a greatly enlarged fragmentary cross-sectional view through the sipe in the groove taken along line 6—6 in FIG. 5.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 288,082	2/1987	Nakaseko	D12/147
D. 296,544	7/1988	Matsushita et al.	D12/147
D. 301,133	5/1989	Tsuda et al.	D12/145
D. 305,221	12/1989	Minamitani	D12/147
D. 310,803	9/1990	Hasegawa	D12/147
D. 313,211	12/1990	Minamitani et al.	D12/147
4,913,208	4/1990	Anderson et al.	152/209 R






FIG. 1




FIG. 2




FIG. 3




FIG. 5

FIG. 4




FIG. 5



FIG. 6