



US00D335848S

United States Patent [19]

Maxwell et al.

[11] Patent Number: Des. 335,848

[45] Date of Patent: ** May 25, 1993

[54] TIRE

[56]

References Cited

U.S. PATENT DOCUMENTS

[75] Inventors: Paul B. Maxwell, Stow; Philip S. Hammond, Mogadore; William E. Egan, Tallmadge; Dale G. Freygang, Akron, all of Ohio

D. 53,112 3/1919 Blowers D12/147
D. 168,364 12/1952 Martin D12/147
D. 324,839 3/1992 Maxwell et al. D12/147

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—T. P. Lewandowski

[73] Assignee: The Goodyear Tire & Rubber Company, Akron, Ohio

[57] CLAIM

The ornamental design for a tire, as shown and described.

[**] Term: 14 Years

DESCRIPTION

[21] Appl. No.: 785,694

FIG. 1 is a front elevational view of a tire showing our new design;

FIG. 2 is a perspective view thereof;


FIG. 3 is a side elevational view thereof on a reduced scale, the sidewall configuration on the opposite side being a mirror image of that shown; and,

FIG. 4 is an enlarged fragmentary front view thereof. The tread pattern is understood to be repeated uniformly throughout the circumference of the tire.

[22] Filed: Oct. 13, 1991

[52] U.S. Cl. D12/151; D12/136

[58] Field of Search D12/136, 137, 146-151;
152/209 R, 209 A, 209 B, 209 D






FIG. 1




FIG. 2




FIG. 3




FIG. 4