



US00D335848S

# United States Patent [19]

[11] Patent Number: **Des. 335,848**

Maxwell et al.

[45] Date of Patent: **\*\* May 25, 1993**

[54] TIRE

[56]

### References Cited

#### U.S. PATENT DOCUMENTS

[75] Inventors: **Paul B. Maxwell, Stow; Philip S. Hammond, Mogadore; William E. Egan, Tallmadge; Dale G. Freygang, Akron, all of Ohio**

D. 53,112 3/1919 Blowers ..... D12/147  
D. 168,364 12/1952 Martin ..... D12/147  
D. 324,839 3/1992 Maxwell et al. .... D12/147

*Primary Examiner*—James M. Gandy  
*Attorney, Agent, or Firm*—T. P. Lewandowski

[73] Assignee: **The Goodyear Tire & Rubber Company, Akron, Ohio**

[57]

### CLAIM

The ornamental design for a tire, as shown and described.

[\*\*] Term: **14 Years**

### DESCRIPTION


[21] Appl. No.: **785,694**

FIG. 1 is a front elevational view of a tire showing our new design;  
FIG. 2 is a perspective view thereof;  
FIG. 3 is a side elevational view thereof on a reduced scale, the sidewall configuration on the opposite side being a mirror image of that shown; and,  
FIG. 4 is an enlarged fragmentary front view thereof.  
The tread pattern is understood to be repeated uniformly throughout the circumference of the tire.

[22] Filed: **Oct. 13, 1991**

[52] U.S. Cl. .... **D12/151; D12/136**

[58] Field of Search ..... **D12/136, 137, 146-151; 152/209 R, 209 A, 209 B, 209 D**






FIG. 1






FIG. 2




FIG. 3




FIG. 4