



US00D335867S

United States Patent [19]

[11] Patent Number: **Des. 335,867**

Rowen

[45] Date of Patent: **** May 25, 1993**

[54] **COMBINED SWITCH AND FACE PLATE**

[75] Inventor: **Michael J. Rowen, Center Valley, Pa.**

[73] Assignee: **Lutron Electronics Co., Inc.,
Coopersburg, Pa.**

[**] Term: **14 Years**

[21] Appl. No.: **249,464**

[22] Filed: **Sep. 26, 1988**

[52] U.S. Cl. **D13/171**

[58] Field of Search **D8/350-353;
D13/32, 38, 171; 174/66; 220/241, 242;
200/341; 323/905**

[56] **References Cited**

U.S. PATENT DOCUMENTS

1,191,192	7/1916	Klein	220/242
4,563,592	1/1986	Yuhasz et al.	307/115
4,737,609	4/1988	Yuhasz et al.	174/66

OTHER PUBLICATIONS

Lutron Electronics Co.-NETS Brochure P/N362-199;
Sep. 1987.

Lutron Electronics Co.-NTETS Brochure
P/N360-182; May 1987.

Lightolier Controls Product Selection Guide, pp. 6, 8.

Primary Examiner—B. J. Bullock

Attorney, Agent, or Firm—Seidel, Gonda, Lavorgna &
Monaco

[57] **CLAIM**

The ornamental design for a combined switch and face plate, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a combined switch and face plate showing my new design, the rear being unornamented;

FIG. 2 is a right side elevational view thereof, the left side being a mirror image;



FIG. 3 is a bottom plan view thereof, the top being a mirror image;

FIG. 4 is a isometric perspective view thereof;

FIG. 5 is a front elevational view of a second embodiment of the design of FIG. 1, the only difference being the addition of an indicator to the switch face; and,

FIG. 6 is a front elevational view of a third embodiment of the design of FIG. 1, the only difference being the addition of two indicators to the switch face.

The broken lines showing of a switch housing in FIGS. 2-4 is for illustrative purposes only.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6