



US00D335880S

United States Patent [19]

[11] Patent Number: **Des. 335,880**

Kanatani et al.

[45] Date of Patent: **** May 25, 1993**

[54] **TAPE RECORDER**

[75] Inventors: **Masakazu Kanatani; Atsushi Kawase,**
both of Tokyo, Japan

[73] Assignee: **Sony Corporation, Tokyo, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **765,104**

[22] Filed: **Sep. 25, 1991**

[30] **Foreign Application Priority Data**

Apr. 24, 1991 [JP] Japan 3-12055

[52] U.S. Cl. **D14/165**

[58] Field of Search **D14/160-168,**
D14/154, 188, 192, 194-196; 455/344, 350-351

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 290,843 7/1987 Murphy D14/196 X
- D. 306,588 3/1990 Kashiwagi D14/163
- D. 311,006 10/1990 Hino et al. D14/165
- D. 311,537 10/1990 Tsuchiya et al. D14/163 X
- D. 316,093 4/1991 Okada et al. D14/163
- D. 320,790 10/1991 Kashiwagi D14/163

Primary Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Lewis H. Eslinger; Jay H. Maioli

[57] **CLAIM**

The ornamental design for a tape recorder, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a tape recorder showing our new design;
 FIG. 2 is a right side elevational view thereof;
 FIG. 3 is a left side elevational view thereof;
 FIG. 4 is a front elevational view thereof;
 FIG. 5 is a bottom plan view thereof;
 FIG. 6 is a bottom plan view thereof;
 FIG. 7 is a top, front and right-side perspective view thereof, shown in an open position;
 FIG. 8 is a top, front and right-side perspective view thereof; and,
 FIG. 9 is a top, front and right-side perspective view thereof, the broken line showing of the microphone is for illustrative purposes only and forms no part of the claimed design.




FIG. 2




FIG. 1




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7




FIG. 8




FIG. 9

