



US00D335880S

United States Patent [19]

Kanatani et al.

[11] Patent Number: Des. 335,880

[45] Date of Patent: ** May 25, 1993

[54] TAPE RECORDER

[75] Inventors: Masakazu Kanatani; Atsushi Kawase,
both of Tokyo, Japan

[73] Assignee: Sony Corporation, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 765,104

[22] Filed: Sep. 25, 1991

[30] Foreign Application Priority Data

Apr. 24, 1991 [JP] Japan 3-12055

[52] U.S. Cl. D14/165

[58] Field of Search D14/160-168,
D14/154, 188, 192, 194-196; 455/344, 350-351

[56] References Cited

U.S. PATENT DOCUMENTS

D. 290,843	7/1987	Murphy	D14/196 X
D. 306,588	3/1990	Kashiwagi	D14/163
D. 311,006	10/1990	Hino et al.	D14/165
D. 311,537	10/1990	Tsuchiya et al.	D14/163 X
D. 316,093	4/1991	Okada et al.	D14/163
D. 320,790	10/1991	Kashiwagi	D14/163

Primary Examiner—Theodore M. Shooman

Attorney, Agent, or Firm—Lewis H. Eslinger; Jay H.
Maioli

[57] CLAIM

The ornamental design for a tape recorder, as shown
and described.

DESCRIPTION

FIG. 1 is a front elevational view of a tape recorder
showing our new design;

FIG. 2 is a right side elevational view thereof;

FIG. 3 is a left side elevational view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a bottom plan view thereof;


FIG. 7 is a top, front and right-side perspective view
thereof, shown in an open position;FIG. 8 is a top, front and right-side perspective view
thereof; and,FIG. 9 is a top, front and right-side perspective view
thereof, the broken line showing of the microphone is
for illustrative purposes only and forms no part of the
claimed design.

FIG. 2




FIG. 1




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7




FIG. 8




FIG. 9

