



US00D336066S

United States Patent [19]

Guspodin

[11] Patent Number: Des. 336,066

[45] Date of Patent: ** Jun. 1, 1993

[54] TIRE

[75] Inventor: James G. Guspodin, Akron, Ohio

[73] Assignee: Bridgestone/Firestone, Inc., Akron, Ohio

[**] Term: 14 Years

[21] Appl. No.: 733,557

[22] Filed: Jul. 22, 1991

[52] U.S. Cl. D12/141

[58] Field of Search D12/141-143,
D12/145-151; 152/209 R, 209 B, 209 D

[56] References Cited

U.S. PATENT DOCUMENTS

D. 194,203 12/1962 Wyman et al. D12/141
D. 283,501 4/1986 Hitzky D12/147
D. 296,544 7/1988 Matsushita et al. D12/147
D. 305,221 12/1989 Minamitani D12/147

D. 313,211 12/1990 Minamitani et al. D12/147
4,913,208 4/1990 Anderson et al. 152/209 R

OTHER PUBLICATIONS

1990 Tread Design Guide, p. 72, Tigar TG625HP Tire, top center of page and Toyo 600-CIR Tire, second down from top, center of page.

Primary Examiner—James M. Gandy


Attorney, Agent, or Firm—David A. Thomas

[57] CLAIM

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire embodying my new design, it being understood that the pattern is repeated throughout the circumference of the tire, the opposite side being substantially the same as that shown; FIG. 2 is a front elevational view thereof; and, FIG. 3 is a side elevational view thereof.






FIG. 1




FIG. 2




FIG. 3