



US00D336261S

United States Patent [19]
James

[11] **Patent Number:** **Des. 336,261**
[45] **Date of Patent:** **** Jun. 8, 1993**

[54] **COMBINED RECEIVER AND WARNING
ALARM FOR EMERGENCY EVACUATIONS**

4,847,590 7/1989 Gosswiller 340/405
4,963,855 10/1990 Kojima 340/405

[76] **Inventor:** **Louis K. James, Rte. 20 Box 448,
Tyler, Tex. 75708**

Primary Examiner—Wallace R. Burke
Assistant Examiner—Marcus Jackson
Attorney, Agent, or Firm—Leon Gilden

[**] **Term:** **14 Years**

[57] **CLAIM**

[21] **Appl. No.:** **694,021**

The ornamental design for a combined receiver and warning alarm for emergency evacuations, as shown and described.

[22] **Filed:** **May 1, 1991**

[52] **U.S. Cl.** **D10/106**

[58] **Field of Search** D10/104, 106, 109, 121,
D10/118; 340/384 R, 384 E, 392, 500, 502, 539,
577, 578, 628, 629, 405

DESCRIPTION

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 190,148 8/1961 Reuben, Jr. D10/118
D. 198,956 8/1964 Kress D10/118
D. 265,802 8/1982 Vickery D10/118
D. 294,231 2/1988 Cameron, Jr. et al. D10/106

FIG. 1 is a front elevational view of the combined receiver and warning alarm for emergency evacuations showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof; and,
FIG. 7 is a perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

