



US00D336267S

United States Patent [19]

[11] Patent Number: **Des. 336,267**

Bonvini et al.

[45] Date of Patent: **** Jun. 8, 1993**

[54] **TIRE**

[75] Inventors: **Marco Bonvini, Milan; Angelo Moretti, Varedo; Riccardo Gimobelli, Trezzo sull'Adda, all of Italy**

[73] Assignee: **Pirelli Coordinamento Pneumatici S.p.A., Milan, Italy**

[**] Term: **14 Years**

[21] Appl. No.: **635,788**

[22] Filed: **Dec. 26, 1990**

[30] **Foreign Application Priority Data**

Jun. 29, 1990 [IT] Italy 21425/90
 [52] U.S. Cl. **D12/143**
 [58] Field of Search D12/141-143,
 D12/146-148; 152/209 R, 209 B, 209 D

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 261,380 10/1981 Amarger D12/143
 D. 316,065 4/1991 Tsuda et al. D12/142

OTHER PUBLICATIONS

1990 Tread Design Guide, p. 151, Centennial C555 Standard & Low Profile Tire, second row down from top & second tire in from left side of page.
 1990 Tread Design Guide, p. 149, Bridgestone V-Steel Rib 194 Tire, third row down from top & second tire in from right side of page.


Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Stevens, Davis, Miller & Mosher

[57] **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing our new design, it is understood that the tread pattern is repeated uniformly throughout the circumference of the tire as shown schematically by solid lines;
 FIG. 2 is a front elevation view thereof; and,
 FIG. 3 is a side elevation view thereof on a reduced scale, the opposite side being a mirror image of that shown.






FIG. 1




FIG. 2




FIG. 3