



US00D336346S

# United States Patent [19]

Miller et al.

[11] Patent Number: **Des. 336,346**

[45] Date of Patent: **\*\* Jun. 8, 1993**

[54] **COLLAPISBLE BOLLARD**

[75] Inventors: **James M. Miller, Philadelphia, Pa.;**  
**James A. Wargo, Cherry Hill, N.J.**

[73] Assignee: **Trustees of the University of**  
**Pennsylvania, Philadelphia, Pa.**

[\*\*] Term: **14 Years**

[21] Appl. No.: **837,346**

[22] Filed: **Feb. 14, 1992**

### Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 344,111, Apr. 13, 1989, Pat. No. Des. 324,920.

[52] U.S. Cl. .... **D25/126**

[58] Field of Search ..... **D25/126-128,**  
**D25/131; 114/121-126, 230, 293; 256/22, 34,**  
**65, 59, DIG. 5, 47**

[56] **References Cited**

### U.S. PATENT DOCUMENTS

D. 269,209	5/1983	Hegartg .....	D25/131
282,180	7/1883	Erb .....	256/22
289,803	12/1883	Bethea .....	256/47
4,576,508	3/1986	Dickinson .....	256/DIG. 5
4,802,432	2/1989	Poldervaart et al. ....	114/230
4,917,039	4/1990	Siero .....	114/230

*Primary Examiner*—A. Hugo Word  
*Assistant Examiner*—Doris Clark  
*Attorney, Agent, or Firm*—Woodcock Washburn Kurtz  
Mackiewicz & Norris

[57] **CLAIM**

The ornamental design for a collapsible bollard, as shown and described.

### DESCRIPTION

FIG. 1 is a front perspective view of an improved collapsible bollard showing our new design; FIG. 2 is a front elevation thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a rear elevation thereof; and, FIG. 5 is a side elevation thereof.




FIG. 1




FIG. 2





FIG. 3



**FIG. 4**



**FIG. 5**

