



US00D336437S

United States Patent [19]

[11] Patent Number: **Des. 336,437**

Sugano

[45] Date of Patent: **** Jun. 15, 1993**

[54] **CLOCK**

| | | | | |
|------------|---------|---------|-------|--------|
| D. 312,972 | 12/1990 | Odaka | | D10/28 |
| D. 316,048 | 4/1991 | Aikawa | | D10/28 |
| 1,650,123 | 11/1927 | Gritton | | D10/28 |

[75] Inventor: **Hisako Sugano, Tokyo, Japan**

[73] Assignee: **Seikosha Co., Ltd., Japan**

[**] Term: **14 Years**

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Bruce L. Adams; Van C. Wilks

[21] Appl. No.: **733,233**

[57] **CLAIM**

[22] Filed: **Jul. 22, 1991**

The ornamental design for a clock, as shown and described.

[52] U.S. Cl. **D10/28**

[58] Field of Search **D10/1-40,**
D10/122-132; 368/72, 276-277, 280-282, 63,
285

DESCRIPTION

[56] **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|------------|---------|-----------|-------|----------|
| D. 86,275 | 2/1932 | Schiff | | D10/28 |
| D. 97,952 | 12/1935 | Patten | | D10/28 X |
| D. 101,287 | 9/1936 | Rainbault | | D10/28 X |

FIG. 1 is a front elevational view of a clock showing my new design;

FIG. 2 is a rear elevational view thereof;


FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a right side elevational view thereof; and,

FIG. 7 is a front right perspective view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7