



US00D336457S

**United States Patent** [19]  
**Hilfiker**

[11] **Patent Number: Des. 336,457**  
[45] **Date of Patent: \*\* Jun. 15, 1993**

[54] **WEDGE FOR SETTING A MOTORCYCLE BRAKE**  
[76] **Inventor: Elwood T. Hilfiker, 877 Dewitt Rd., Webster, N.Y. 14580**  
[\*\*] **Term: 14 Years**  
[21] **Appl. No.: 570,708**  
[22] **Filed: Aug. 22, 1990**  
[52] **U.S. Cl. .... D12/180**  
[58] **Field of Search .... D12/180; 188/24.18, 188/24.19, 24.11, 196 V, 250 B, 201; D8/349, 14, 354, 47; 384/626; 280/661**

4,217,854 8/1980 Brown ..... D8/14  
4,619,465 10/1986 Johnson ..... D8/354  
5,007,658 4/1991 Blechschmidt et al. .... 280/661

*Primary Examiner*—Wallace R. Burke  
*Assistant Examiner*—Melody Brown  
*Attorney, Agent, or Firm*—Terry M. Gernstein


[57] **CLAIM**

The ornamental design for a wedge for setting a motorcycle brake, as shown.

**DESCRIPTION**

FIG. 1 is a perspective view of a wedge for setting a motorcycle brake showing my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a side elevational view thereof; FIG. 5 is an opposite side elevational view thereof; FIG. 6 is a top plan view thereof; and, FIG. 7 is a bottom plan view thereof.

[56] **References Cited**  
**U.S. PATENT DOCUMENTS**  
D. 268,804 5/1983 Bacon ..... D8/14  
2,772,596 12/1956 Trussell ..... 188/201  
3,430,736 3/1969 Long ..... 188/196 V






FIG. 1.




FIG. 4.




FIG. 2.







FIG. 5.

FIG. 3.






FIG. 6.

FIG. 7.

