



US00D336491S

# United States Patent [19]

[11] Patent Number: Des. 336,491

Vitrac

[45] Date of Patent: \*\* Jun. 15, 1993

[54] PEN

[75] Inventor: J. P. Vitrac, Paris, France

[73] Assignee: P.T. Merpati Mahkota Sarana,  
Jakarata, Indonesia

[\*\*] Term: 14 Years

[21] Appl. No.: 792,064

[22] Filed: Nov. 13, 1991

### [30] Foreign Application Priority Data

May 14, 1991 [GB] United Kingdom ..... 2014756

[52] U.S. Cl. .... D19/43; D19/51;  
D19/56; D19/57

[58] Field of Search ..... D19/35, 36, 41-51,  
D19/54-58, 81-85; 401/99, 100, 102, 103, 104,  
209, 243-247

### [56] References Cited

#### U.S. PATENT DOCUMENTS

- D. 179,053 10/1956 Baker ..... D19/51
- D. 250,767 1/1979 Bulgari ..... D19/51
- D. 265,741 8/1982 Funahashi ..... D19/56 X
- D. 282,378 1/1986 Ohyabu et al. .... D19/43
- D. 312,096 11/1990 Vitrac ..... D19/56 X
- D. 312,391 11/1990 Vitrac ..... D19/56 X
- D. 313,246 12/1990 Porsche ..... D19/56 X
- D. 316,271 4/1991 Larizza ..... D19/41
- D. 326,683 6/1992 Katami ..... D19/48

Primary Examiner—Nelson C. Holtje  
Assistant Examiner—Martha Thompson  
Attorney, Agent, or Firm—Blodgett & Blodgett

### [57] CLAIM

The ornamental design for a pen, as shown and described.

### DESCRIPTION

FIG. 1 is a front elevational view of a pen showing my

new design with the cap member in a stored position and the writing tip exposed;  
 FIG. 2 is a right side elevational view, the left side being a mirror image thereof;  
 FIG. 3 is a rear elevational view;  
 FIG. 4 is a top plan view;  
 FIG. 5 is a bottom plan view;  
 FIG. 6 is a front elevational view with the cap member in a closed position;  
 FIG. 7 is a right side elevational view of FIG. 6, the left side being a mirror image thereof;  
 FIG. 8 is a rear elevational view of FIG. 6;  
 FIG. 9 is a bottom plan view of FIG. 6;  
 FIG. 10 is a front elevational view of a second embodiment of my new design with the cap member in a stored position and the writing tip exposed;  
 FIG. 11 is a rear elevational view of FIG. 10;  
 FIG. 12 is a right side elevational view of FIG. 10, the left side being a mirror image thereof;  
 FIG. 13 is a bottom plan view of FIG. 10;  
 FIG. 14 is a top plan view of FIG. 10;  
 FIG. 15 is a front elevational view of FIG. 10 with the cap member in a closed position;  
 FIG. 16 is a right side elevational view of FIG. 15, the left side being a mirror image thereof;  
 FIG. 17 is a rear elevational view of FIG. 15;  
 FIG. 18 is a bottom plan view of FIG. 15;  
 FIG. 19 is a front elevational view of a third embodiment of my new design with the writing tip extended;  
 FIG. 20 is a right side elevational view of FIG. 19, the left side being a mirror image thereof;  
 FIG. 21 is a rear elevational view of FIG. 19;  
 FIG. 22 is a top plan view of FIG. 19;  
 FIG. 23 is a bottom plan view of FIG. 19;  
 FIG. 24 is a front elevational view of FIG. 19 with the writing tip retracted;  
 FIG. 25 is a right side elevational view of FIG. 24, the left side being a mirror image thereof;  
 FIG. 26 is a rear elevational view of FIG. 24; and,  
 FIG. 27 is a bottom plan view of FIG. 24.  
 The top plan views of FIGS. 6, 15 and 24 are identical to FIGS. 4, 14 and 22, respectively.




FIG. 1




FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7




FIG. 8



FIG. 9



FIG. 10




FIG. 11



FIG. 12




FIG. 13



FIG. 14



FIG. 15




FIG. 16




FIG. 17




FIG. 18



FIG. 19




FIG. 20



FIG. 21



FIG. 22



FIG. 23



FIG. 24



FIG. 25




FIG. 26



FIG. 27

