



US00D336564S

United States Patent [19] Kidd

[11] Patent Number: Des. 336,564

[45] Date of Patent: ** Jun. 22, 1993

- [54] EYEGLASS CASE
- [76] Inventor: John B. Kidd, Rte. 3, Box 70A,
Earlsville, Va. 22936
- [**] Term: 14 Years
- [21] Appl. No.: 714,054
- [22] Filed: Jun. 12, 1991
- [52] U.S. Cl. D3/34
- [58] Field of Search D3/34, 66; 206/5

[56] **References Cited**

U.S. PATENT DOCUMENTS

132,246	10/1872	Buckley	206/5 R
D. 137,061	1/1944	Mellor	D3/66
D. 222,405	10/1971	Wolf	D3/34
D. 232,259	7/1974	Brown	D3/34
421,438	2/1890	Shailer	206/5 R
636,811	11/1899	Kirstein	206/5 R
2,482,500	9/1949	Nathan	206/5 R
5,123,525	6/1992	Orlowski	206/5

OTHER PUBLICATIONS

Optician:3-23-1975; p. 25 "Model 718" in lower centre of page.

Primary Examiner—A. Hugo Word
Assistant Examiner—Celia A. Murphy
Attorney, Agent, or Firm—Bacon & Thomas


[57] **CLAIM**

The ornamental design for an eyeglass case, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of an eyeglass case showing my new design;

FIG. 2 is a right side elevational view thereof, the left side being a mirror image;
 FIG. 3 is a rear elevational view thereof;
 FIG. 4 is a top plan view thereof;
 FIG. 5 is a bottom plan view thereof;
 FIG. 6 is a rear elevational view of an alternate embodiment of the design shown in FIG. 1;
 FIG. 7 is a right side elevational view thereof, the left side being a mirror image;
 FIG. 8 is a top plan view of FIG. 6;
 FIG. 9 is a bottom plan view of FIG. 6;
 FIG. 10 is a front elevational view of a second embodiment of the design shown in FIG. 1;
 FIG. 11 is a front elevational view of FIG. 10, the flap being shown in a fastened position;
 FIG. 12 is a right side elevational view of FIG. 11, the left side being a mirror image;
 FIG. 13 is a top plan view of FIG. 11;
 FIG. 14 is a bottom plan view of FIG. 11;
 FIG. 15 is a rear elevational view of FIG. 11;
 FIG. 16 is a front elevational view of a third embodiment of the design shown in FIG. 1;
 FIG. 17 is a right side elevational view of FIG. 16, the left side being a mirror image;
 FIG. 18 is a rear elevational view of FIG. 16;
 FIG. 19 is a top plan view of FIG. 16;
 FIG. 20 is a bottom plan view of FIG. 16;
 FIG. 21 is a front elevational view of a fourth embodiment of the design shown in FIG. 1;
 FIG. 22 is a right side elevational view of FIG. 21, the left side being a mirror image;
 FIG. 23 is a rear elevational view of FIG. 21;
 FIG. 24 is a top plan view of FIG. 21; and,
 FIG. 25 is a bottom plan view of FIG. 21.
 The broken lines shown in FIGS. 21 and 23 are understood to represent conventional stitching.






FIG. 1

FIG. 2

FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11



FIG. 12




FIG. 15




FIG. 13




FIG. 14




FIG. 16



FIG. 17




FIG. 18



FIG. 19




FIG. 20






FIG. 21 FIG. 22 FIG. 23





FIG. 24

FIG. 25