



US00D336564S

# United States Patent [19] Kidd

[11] Patent Number: Des. 336,564

[45] Date of Patent: \*\* Jun. 22, 1993

- [54] EYEGLASS CASE
- [76] Inventor: John B. Kidd, Rte. 3, Box 70A,  
Earlsville, Va. 22936
- [\*\*] Term: 14 Years
- [21] Appl. No.: 714,054
- [22] Filed: Jun. 12, 1991
- [52] U.S. Cl. .... D3/34
- [58] Field of Search ..... D3/34, 66; 206/5

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

|            |         |          |         |
|------------|---------|----------|---------|
| 132,246    | 10/1872 | Buckley  | 206/5 R |
| D. 137,061 | 1/1944  | Mellor   | D3/66   |
| D. 222,405 | 10/1971 | Wolf     | D3/34   |
| D. 232,259 | 7/1974  | Brown    | D3/34   |
| 421,438    | 2/1890  | Shailer  | 206/5 R |
| 636,811    | 11/1899 | Kirstein | 206/5 R |
| 2,482,500  | 9/1949  | Nathan   | 206/5 R |
| 5,123,525  | 6/1992  | Orlowski | 206/5   |

**OTHER PUBLICATIONS**

Optician:3-23-1975; p. 25 "Model 718" in lower centre of page.

*Primary Examiner*—A. Hugo Word  
*Assistant Examiner*—Celia A. Murphy  
*Attorney, Agent, or Firm*—Bacon & Thomas


[57] **CLAIM**

The ornamental design for an eyeglass case, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of an eyeglass case showing my new design;

FIG. 2 is a right side elevational view thereof, the left side being a mirror image;  
 FIG. 3 is a rear elevational view thereof;  
 FIG. 4 is a top plan view thereof;  
 FIG. 5 is a bottom plan view thereof;  
 FIG. 6 is a rear elevational view of an alternate embodiment of the design shown in FIG. 1;  
 FIG. 7 is a right side elevational view thereof, the left side being a mirror image;  
 FIG. 8 is a top plan view of FIG. 6;  
 FIG. 9 is a bottom plan view of FIG. 6;  
 FIG. 10 is a front elevational view of a second embodiment of the design shown in FIG. 1;  
 FIG. 11 is a front elevational view of FIG. 10, the flap being shown in a fastened position;  
 FIG. 12 is a right side elevational view of FIG. 11, the left side being a mirror image;  
 FIG. 13 is a top plan view of FIG. 11;  
 FIG. 14 is a bottom plan view of FIG. 11;  
 FIG. 15 is a rear elevational view of FIG. 11;  
 FIG. 16 is a front elevational view of a third embodiment of the design shown in FIG. 1;  
 FIG. 17 is a right side elevational view of FIG. 16, the left side being a mirror image;  
 FIG. 18 is a rear elevational view of FIG. 16;  
 FIG. 19 is a top plan view of FIG. 16;  
 FIG. 20 is a bottom plan view of FIG. 16;  
 FIG. 21 is a front elevational view of a fourth embodiment of the design shown in FIG. 1;  
 FIG. 22 is a right side elevational view of FIG. 21, the left side being a mirror image;  
 FIG. 23 is a rear elevational view of FIG. 21;  
 FIG. 24 is a top plan view of FIG. 21; and,  
 FIG. 25 is a bottom plan view of FIG. 21.  
 The broken lines shown in FIGS. 21 and 23 are understood to represent conventional stitching.






FIG. 1

FIG. 2

FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11



FIG. 12




FIG. 15




FIG. 13




FIG. 14




FIG. 16



FIG. 17




FIG. 18



FIG. 19




FIG. 20






FIG. 21 FIG. 22 FIG. 23




FIG. 24

FIG. 25