



US00D336620S

United States Patent [19]
Maruyama

[11] **Patent Number: Des. 336,620**

[45] **Date of Patent: ** Jun. 22, 1993**

[54] **WATCHBAND**

[75] **Inventor: Tetsuro Maruyama, Tokyo, Japan**

[73] **Assignee: Seiko Instruments Inc., Japan**

[**] **Term: 14 Years**

[21] **Appl. No.: 640,952**

[22] **Filed: Jan. 14, 1991**

[30] **Foreign Application Priority Data**

Jul. 13, 1990 [JP] Japan 2-23887

[52] **U.S. Cl. D11/3; D11/19; 63/5.1**

[58] **Field of Search D11/1-3, D11/19-25; 63/1.1, 3-8; D10/122-126; 224/175**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 293,302 12/1987 Schoepfer D11/3

D. 294,806 3/1988 Perrin D11/19
D. 325,833 5/1992 St. Dizier D11/19
3,924,418 12/1975 Bürkle, Jr. 63/5.1

Primary Examiner—A. Hugo Word

Assistant Examiner—R. Seifert

Attorney, Agent, or Firm—Bruce L. Adams; Van C. Wilks

[57] **CLAIM**

The ornamental design for a watchband, as shown and described.

DESCRIPTION

FIG. 1 is a front right perspective view of a watchband showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a left side elevational view thereof; and,

FIG. 7 is a right side elevational view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 6



FIG. 7



FIG. 4



FIG. 5

