



US00D336701S

United States Patent [19]

[11] Patent Number: Des. 336,701

Waterston

[45] Date of Patent: ** Jun. 22, 1993

- [54] **WASTEBASKET COMPONENT SYSTEM FOR RECYCLABLE MATERIALS**
- [75] Inventor: **Rebecca L. Waterston**, Kirkland, Wash.
- [73] Assignee: **Liberty Diversified Industries**, New Hope, Minn.
- [**] Term: **14 Years**
- [21] Appl. No.: **637,761**
- [22] Filed: **Jan. 7, 1991**
- [52] U.S. Cl. **D34/1; D34/5**
- [58] Field of Search **D34/1-11; 220/908, 909, 23.4, 23.83, 23.86, 500**

- [56] **References Cited**
- U.S. PATENT DOCUMENTS**
- 3,606,893 9/1971 Verberg 220/500
- 4,801,034 1/1989 Sandomeno 220/23.83
- 4,940,159 7/1990 Callas 220/909

Primary Examiner—Kay H. Chin
Attorney, Agent, or Firm—Moore & Hansen


[57] CLAIM

The ornamental design for a wastebasket component system for recyclable materials, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the wastebasket component system showing the design of our invention in a configuration in which one accessory waste receptacle is disposed within the main waste receptacle and one accessory waste receptacle is disposed in hanging relation on the outer left side of the main waste receptacle;
 FIG. 2 is a top view of the configuration shown in FIG. 1;
 FIG. 3 is a bottom view of the configuration shown in FIG. 1;

FIG. 4 is a front elevation view of the configuration shown in FIG. 1;
 FIG. 5 is a rear elevation view of the configuration shown in FIG. 1;
 FIG. 6 is a left side elevation view of the configuration shown in FIG. 1;
 FIG. 7 is a right side elevation view of the configuration shown in FIG. 1;
 FIG. 8 is a front perspective view of the wastebasket component system showing the design of our invention in a configuration in which two accessory waste receptacles are disposed within the main waste receptacle;
 FIG. 9 is a top view of the configuration shown in FIG. 8;
 FIG. 10 is a bottom view of the configuration shown in FIG. 8;
 FIG. 11 is a front elevation view of the configuration shown in FIG. 8;
 FIG. 12 is a rear view of the configuration shown in FIG. 8;
 FIG. 13 is a left side elevation view of the configuration shown in FIG. 8;
 FIG. 14 is a right side elevation view of the configuration shown in FIG. 8;
 FIG. 15 is a front perspective view of the wastebasket component system showing the design of our invention in a configuration in which one accessory waste receptacle is disposed in hanging relation on each of the outer left and right sides of the main waste receptacle;
 FIG. 16 is a top view of the configuration shown in FIG. 15;
 FIG. 17 is a bottom view of the configuration shown in FIG. 15;
 FIG. 18 is a front elevation view of the configuration shown in FIG. 15;
 FIG. 19 is a rear elevation view of the configuration shown in FIG. 15;
 FIG. 20 is a left side elevation view of the configuration shown in FIG. 15; and,
 FIG. 21 is a right side elevation view of the configuration shown in FIG. 15.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 20




FIG. 19




FIG. 21