



US00D336748S

# United States Patent [19]

[11] Patent Number: Des. 336,748

Luhrs

[45] Date of Patent: \*\* Jun. 22, 1993

[54] HEAT DISSIPATING AND SURGE PROTECTION HOUSING FOR STEREO EQUIPMENT

[76] Inventor: John Luhrs, 1000 N. Donahue Dr. #2-32, Auburn, Ala. 36830

[\*\*] Term: 14 Years

[21] Appl. No.: 570,711

[22] Filed: Aug. 23, 1990

[52] U.S. Cl. .... D14/299; D13/184

[58] Field of Search ..... D14/100, 124, 138, 140, D14/155, 188, 240, 299; D13/184; 361/381, 384, 390, 391, 394, 395; 454/184; 379/329, 330

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 246,368	11/1977	Barnich et al. ....	D14/100
D. 284,280	6/1986	Mack, Jr. et al. ....	D14/124
4,702,154	10/1987	Dodson .	
4,744,005	5/1988	Milani .	

4,751,872 6/1988 Lawson .


*Primary Examiner*—Bernard Ansher  
*Assistant Examiner*—Mitchell I. Siegel  
*Attorney, Agent, or Firm*—Terry M. Gernstein

[57] **CLAIM**

The ornamental design for a heat dissipating and surge protection housing for stereo equipment, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, front, right side perspective view of a heat dissipating and surge protection housing for stereo equipment showing my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view at a reduced scale thereof; FIG. 4 is a right side elevational view of FIG. 1; FIG. 5 is a left side elevational view of FIG. 3; FIG. 6 is top plan view of FIG.1; and, FIG. 7 is a bottom plan view of FIG.1.






FIG. 1

FIG. 2





FIG. 4






FIG. 3




FIG. 5

FIG. 7




FIG. 6

