



US00D336913S

United States Patent [19]
Katayama

[11] **Patent Number: Des. 336,913**
[45] **Date of Patent: ** Jun. 29, 1993**

[54] **CAMERA**

4,556,304 12/1985 Fukuda 354/288

[75] **Inventor: Noriko Katayama, Tokyo, Japan**

OTHER PUBLICATIONS

[73] **Assignee: Fuji Photo Film Co., Ltd., Kanagawa, Japan**

Evans Catalog, 1988-1989, p. 305y (item 3, Vivitar PS 120).

[**] **Term: 14 Years**

Primary Examiner—Bernard Ansher
Assistant Examiner—Adir Aronovich
Attorney, Agent, or Firm—Young & Thompson

[21] **Appl. No.: 732,303**

[22] **Filed: Jul. 18, 1991**

[57] **CLAIM**

[30] **Foreign Application Priority Data**

The ornamental design for a camera, as shown.

Jan. 24, 1991 [JP] Japan 03-1365

DESCRIPTION

[52] **U.S. Cl. D16/209**

[58] **Field of Search D16/200-204,
D16/208, 209, 216-218; 354/82, 126, 149.11,
202, 288**

FIG. 1 is a top and front perspective view of a camera showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is an end elevational view thereof from the left of FIG. 2; and,
FIG. 7 is an end elevational view thereof from the right of FIG. 2.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 296,333 6/1988 Inoue D16/209
D. 306,308 2/1990 Minakawa D16/209
D. 327,896 7/1992 Yoshida et al. D16/218




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

