



US00D336935S

United States Patent [19]

York et al.

[11] Patent Number: Des. 336,935

[45] Date of Patent: ** Jun. 29, 1993

[54] VERSATILE PULL TOY

3,151,300 10/1964 Keech D21/161

[76] Inventors: **Floyd L. York**, 33608 Bonnie B Rd., North Fork, Calif. 93643; **Mike Planin**, 1281 Pleasant Valley Rd. #12, Diamond Springs, Calif. 95619

Primary Examiner—Bernard Ansher
Assistant Examiner—R. Barkai

[**] Term: 14 Years

[57] CLAIM

The ornamental design for a versatile pull toy, as shown.

[21] Appl. No.: 829,679

DESCRIPTION

[22] Filed: Feb. 3, 1992

[52] U.S. Cl. D21/124

[58] Field of Search D21/73, 76-80,
D21/124, 128, 134, 136, 139, 141, 141.1, 142,
161, 168, 177, 250; D12/85, 92, 128, 129;
D19/63; 446/7, 279, 281, 451, 465; 280/47.36,
642-644, 658

[56] References Cited

U.S. PATENT DOCUMENTS

D. 177,084 3/1956 Auzin D21/161
D. 179,949 3/1957 Malsed D21/161
D. 329,948 10/1992 Hanner D21/161
2,661,573 12/1953 Onley 446/451
2,862,330 12/1958 Malsed 446/451

FIG. 1 is a perspective view of the versatile pull toy design of the invention as viewed from the front, top and right side;

FIG. 2 is a top plan view of the device of FIG. 1;

FIG. 3 is a front elevation of the device of FIG. 1;

FIG. 4 is a right side elevation of the device of FIG. 1;

FIG. 5 is a rear elevation of the device of FIG. 1;

FIG. 6 is a left side elevation of the device of FIG. 1;

FIG. 7 is a bottom plan of the device of FIG. 1;

FIG. 8 is a top plan of the device of FIG. 1 showing it in a flexed condition;

FIG. 9 is a perspective view of a first alternate embodiment of a versatile pull toy; and,

FIG. 10 is a top plan view of yet another embodiment of the versatile pull toy, of the invention.




FIG. 1.




FIG. 3.




FIG. 2.




FIG. 4.



FIG. 5.




FIG. 6.




FIG. 7.




Fig. 8.




Fig. 9.




Fig. 10.

