



US00D336969S

United States Patent [19]

[11] Patent Number: **Des. 336,969**

Mullendore et al.

[45] Date of Patent: **** Jul. 6, 1993**

[54] **COMBINATION CAP AND CAN HOLDER**

[76] Inventors: **Bryan L. Mullendore**, 818 S. Woodbury, Independence, Mo. 64050; **David C. Chancellor**, 510 S. Lawn, Kansas City, Mo. 64124; **Gary S. Mullendore**, 520 E. Fair, Independence, Mo. 64055; **Donald L. Cureton**, 1900 W. 31st, Lot R-10, Lawrence, Kans. 66046

[**] Term: **14 Years**

[21] Appl. No.: **726,531**

[22] Filed: **Jul. 8, 1991**

[52] U.S. Cl. **D2/246**

[58] Field of Search **D2/246, 244, 248, 250; 2/185 R, 199, 195, 177, 171, 172, 453, 206, 209.1, 200, 173, 173.5, 198, 196, 175, 181, 253**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 309,523	7/1990	Martin	D2/244
4,451,935	6/1984	Henschel	D2/244 X
4,768,232	9/1988	Villalobos	D2/246 X

Primary Examiner—**B. J. Bullock**
Assistant Examiner—**P. A. Mortimer**
Attorney, Agent, or Firm—**Litman, McMahon & Brown**

[57] **CLAIM**

The ornamental design for a combination cap and can holder, as shown and described.

DESCRIPTION

FIG. 1 is front perspective view of a combination cap

and can holder showing my new design, the broken line showing of the letter is for illustrative purposes only;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a front elevational view of a cap portion thereof;

FIG. 8 is a right side elevational view of the cap portion thereof, the left side being a mirror image thereof;

FIG. 9 is a top plan view of the cap portion thereof;

FIG. 10 is a front perspective view of a can holder shown separately from the cap for clarity of illustration;

FIG. 11 is a front elevational view of the can holder portion thereof;

FIG. 12 is a top plan view of the can holder portion thereof, the bottom being a mirror image thereof;

FIG. 13 is a left side elevational view of the can holder portion thereof;

FIG. 14 is a rear elevational view of the can holder portion thereof;

FIG. 15 is a right side elevational view of the can holder portion thereof;

FIG. 16 is a front elevational view of the can holder portion thereof; the broken lines indicating a can are shown for illustrative purposes only;

FIG. 17 is a back elevational view of the can holder portion thereof; the broken lines indicating a can are shown for illustrative purposes only;

FIG. 18 is a top plan view of the can holder portion thereof, the bottom being a mirror image thereof.




Fig. 1.





Fig. 2.

Fig. 3.




Fig. 4.




Fig. 5.




Fig. 8.




Fig. 9.




Fig. 6.





Fig. 7.






Fig. 10.




Fig. 13.



Fig. 12.




Fig. 11.




Fig. 15.




Fig. 14.




Fig. 18.




Fig. 17.




Fig. 16.