



US00D336972S

**United States Patent** [19]  
**Diaz**

[11] **Patent Number: Des. 336,972**  
[45] **Date of Patent: \*\* Jul. 6, 1993**

[54] **PROTECTIVE COVER FOR SHOES**

[75] **Inventor: Vincent Diaz, Abingdon, Md.**

[73] **Assignees: A T & S Specialties, Inc., Baltimore, Md.; Vincent Diaz, Abingdon, Md.**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 759,684**

[22] **Filed: Sep. 13, 1991**

**Related U.S. Application Data**

[63] Continuation-in-part of Ser. No. 445,799, Nov. 29, 1989, abandoned.

[52] **U.S. Cl. .... D2/267**

[58] **Field of Search ..... D2/267, 264, 265, 271, D2/277, 314; 36/1.5, 2 R, 2 A, 70 R, 71.5, 72 R-72 B, 73**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

48,897 7/1865 Blodgett ..... 36/2 R  
D. 160,743 10/1950 Richardson ..... D2/267  
D. 169,889 6/1953 Bollenbach ..... D2/267

**FOREIGN PATENT DOCUMENTS**

2545 2/1984 United Kingdom ..... 36/2 R


*Primary Examiner*—Louis S. Zarfes  
*Attorney, Agent, or Firm*—Leonard Bloom

[57] **CLAIM**

The ornamental design for a protective cover for shoes, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of an embodiment of the protective cover for shoes of the present invention; FIG. 2 is a right side elevational view thereof; FIG. 3 is a left side elevational view thereof; FIG. 4 is a front view in elevation thereof; FIG. 5 is a rear view in elevation thereof; FIG. 6 is a bottom view in elevation thereof; FIG. 7 is a top view in elevation thereof; FIG. 8 is a top plan view thereof in which the protective cover is laid open and flattened out; FIG. 9 is a bottom plan view thereof in which the protective cover is laid open and flattened out; FIG. 10 is a front perspective view of another embodiment of the protective cover for shoes and the like showing my new design in use; FIG. 11 is a left side elevational view of the design of FIG. 10 as viewed from the front; FIG. 12 is a right side elevational view of the design of FIG. 10 as viewed from the front; FIG. 13 is a front elevational view of the design of FIG. 10, unstrapped; FIG. 14 is a rear elevational view of the design of FIG. 10, unstrapped; FIG. 15 is a bottom plan view of the design of FIG. 10, strapped; and, FIG. 16 is a top plan view of the design of FIG. 10, strapped.  
The broken line showing a boot in FIGS. 1 and 10 is for illustrative purposes only and forms no part of the claimed design.






FIG. 1




FIG. 2




FIG. 3






FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8






FIG. 9




fig. 10






Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16