



US00D337043S

United States Patent [19]

Barnes

[11] Patent Number: Des. 337,043

[45] Date of Patent: ** Jul. 6, 1993

[54] WIRE HOOK BRACKET

[75] Inventor: Richard D. Barnes, High Point, N.C.

[73] Assignee: Hughes Supply Company of
Thomasville, Inc., Thomasville, N.C.

[**] Term: 14 Years

[21] Appl. No.: 765,706

[22] Filed: Sep. 26, 1991

[52] U.S. Cl. D8/373

[58] Field of Search D8/373, 381; 248/225.1

[56] References Cited

U.S. PATENT DOCUMENTS

D. 284,349	6/1986	Wallace		D8/373
D. 309,707	8/1990	Barnes		D8/381
3,964,712	6/1976	Standte, Jr.		248/224.1 X
4,405,110	9/1983	Gibbons		248/221.2
4,718,626	1/1988	Thalenfeld et al.		248/223.4 X
4,889,304	12/1989	Glickman et al.		248/222.1

OTHER PUBLICATIONS

CA Commercial Catalog, undated, p. 24, back plate (submitted by applicant).

CB Commercial Catalog, undated, p. 8, entry books (submitted by applicant).

Primary Examiner—Wallace R. Burke

Assistant Examiner—H. Baynham

[57] CLAIM

The ornamental design for a wire hook bracket, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, right side perspective view of a wire hook bracket showing my new design;


FIG. 2 is a rear view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a top plan view thereof; and,

FIG. 6 is a front elevational view thereof.






FIG. 1




FIG. 2




FIG. 5




FIG. 6




FIG. 4




FIG. 3