



US00D337177S

United States Patent [19]

Tiramani et al.

[11] Patent Number: Des. 337,177

[45] Date of Patent: ** Jul. 6, 1993

[54] COSMETIC RECEPTACLE

[75] Inventors: Paolo Tiramani, Greenwich, Conn.;
Thomas Van Dyk, Prospect Park,
N.J.

[73] Assignee: Goody Products, Inc., Kearney, N.J.

[**] Term: 14 Years

[21] Appl. No.: 646,988

[22] Filed: Jan. 28, 1991

[52] U.S. Cl. D28/76

[58] Field of Search D28/76, 78, 82, 91;
D9/414, 420, 424, 428; D3/30.1, 20, 39;
D6/536; D7/538, 542, 545, 629; D27/189, 191;
206/37, 38

[56] References Cited

U.S. PATENT DOCUMENTS

D. 291,041	7/1987	Grange	D7/542
D. 310,688	9/1990	Windorski	D19/75 X
D. 318,346	7/1991	Bakic	D28/82
D. 319,837	9/1991	Bakic	D28/82
1,625,114	4/1927	Coryell	132/305
1,862,983	8/1932	Reilly	132/298
4,132,306	1/1979	Margolin	D28/85 X

Primary Examiner—Bernard Ansher

Assistant Examiner—C. Tuttle





Attorney, Agent, or Firm—Abelman Frayne & Schwab

[57] CLAIM

The ornamental design for a cosmetic receptacle, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a cosmetic receptacle showing our new design as embodied in a soap receptacle; FIG. 2 is a bottom plan view thereof; FIG. 3 is a front elevational view thereof, the side opposite being identical to the side shown; FIG. 4 is a right side elevational view thereof, the side opposite being identical to the side shown; FIG. 5 is a bottom plan view of the lid element, shown separately for clarity of illustration; FIG. 6 is a top plan view of the base portion of the container, shown separately for clarity of illustration; FIG. 7 is an exploded cross sectional view taken along line 7—7 of FIG. 7; FIG. 8 is a front elevational view showing my new design embodied in a cosmetic receptacle; FIG. 9 is a rear elevational view thereof; FIG. 10 is a top plan view of the lid element, shown separately for clarity of illustration; FIG. 11 is a front elevational view thereof; FIG. 12 is a bottom plan view thereof; FIG. 13 is a top plan view of FIG. 8; FIG. 14 is a cross sectional view taken along line 14—14 of FIG. 14; FIG. 15 is a bottom plan view of the assembled article; FIG. 16 is a right side elevational view thereof, the side opposite being a mirror image of the side shown; and, FIG. 17 is an exploded rear elevational view thereof.






FIG. 2






FIG. 3

FIG. 4






FIG. 5

FIG. 6





FIG. 7

FIG. 8




FIG. 9




FIG. 10




FIG. 11





FIG. 12







FIG. 14






FIG. 15




FIG. 16




FIG. 17